**DEPARTMENT OF THE ARMY**
UNITED STATES ARMY CRIMINAL INVESTIGATION COMMAND
76th MILITARY POLICE DETACHMENT (CID) (FWD) (-)
10th MILITARY POLICE BATTALION (CID) (FWD)
BAGHDAD CENTRAL CONFINEMENT FACILITY
ABU GHRAIB, IRAQ
APO AE 09342

CIRF-ZA-BD

19 May 2006

MEMORANDUM FOR SEE DISTRIBUTION.

SUBJECT: CID REPORT OF INVESTIGATION – FINAL/SSI – 0146-2005-CID789 -39276 – 5H9A

DATES/TIMES/LOCATIONS OF OCCURRENCES:
1. 01 OCT 2005, 0402; 344TH FIELD HOSPITAL, BAGHDAD CENTRAL CONFINEMENT FACILITY (BCCF); GRID 38S MB130840; ABU GHRAIB, IRAQ (IZ)

DATE/TIME REPORTED: 01 OCT 2005, 0615

INVESTIGATED BY: SA (b)(2),(b)(6),(b)(7)(C)
SA
SA
SA

SUBJECT: 1. NONE; [DEATH BY NATURAL CAUSES]

VICTIM: 1. HAMADI AL MASHDANI, ESMAIL HAMADI; INTERNMENT SERIAL NUMBER (ISN (b)(6),(b)(7)(C) (DECEASED); 1 JUL 1945; IRAQ; MALE; WHITE; XZ; DATE OF CAPTURE BY U.S. FORCES, 9 JAN 2004; [DEATH BY NATURAL CAUSES] (NFI)

"This is an Operation Iraqi Freedom Investigation".

On 01 Oct 05, this investigation was initiated when SPC (b)(6),(b)(7)(C) Clerk , Patient Administration Department (PAD), 344th Field Hospital, BCCF, Abu Ghraib IZ, notified this office of a detainee death.

Investigation revealed Detainee AL MASHDANI died a natural death as a result of complications of acute gangrenous cholecystitis (inflammation of the gallbladder).

STATUTES:



ACLU-RDI 5503 p.1

N/A

EXHIBITS/SUBSTANTIATION:

Attached:

1. Agent's Investigation Report (AIR) of SA (b)(6),(b)(7)(C) Nov 05, detailing the initial notification; obtaining the detainee records of AL MASHDANI; interview of medical personnel; and other investigative activity.

2. Personal Data Report (PDR) pertaining to detainee AL MASHDANI.

3. Medical Records pertaining to detainee AL MASHDANI.

4. AIR of SA (b)(6),(b)(7)(C) Oct 05, which detailed the receipt of the Request for Assistance (RFA) and attending the autopsy.

5. Compact Disc containing the images of the autopsy of detainee AL MASHDANI (USACRC and file copy only).

6. AIR of SA (b)(6),(b)(7)(C) 5 May 06, detailing the receipt of the final autopsy report and death certificate of detainee AL MASHDANI.

7. Autopsy Report, #ME05-0925, 29 Mar 06, pertaining to detainee AL MASHDANI.

8. Death Certificate, 15 May 06, pertaining to detainee AL MASHDANI.

9. Photo Packet compromised of 7 photographs (1-7) (detainee AL MASHDANI).

10. Compact Disc 050146.789 containing the photographic images and the originals of Exhibit 9. (USACRC and file copy only).

NOT ATTACHED:

None.

The originals of Exhibits 1, 4, 6, 9 and 10 are forwarded with the USACRC copy of this report. The original of Exhibit 2 is retained in the files of Task Force 134, Camp Victory, IZ. The original of Exhibits 5, 7 and 8 are retained in the files of the Armed Forces Institute of Pathology, 1413 Research Blvd., Building 102, Rockville, MD. The original of Exhibit 3 is retained in the files of the 344TH Medical Field Hospital, Patient Administration Division, BCCF, AGI.

b(6), b(7)(C)



ACLU-RDI 5503 p.2

STATUS: This is a Final Report.

Report Prepared By:

(b)(6),(b)(7)(C)

Special Agent (b)(2)

Report Approved By:

(b)(6),(b)(7)(C)

Special Agent in Charge

Distribution:

1 - Director, USACRC, 6010 6th Street, Fort Belvoir, VA 22060-5506 (ORIGINAL)
1 - CDR, USACIDC, ATTN: CIOP-ZA, FORT BELVOIR, VA
(ciddcsops1sc@sbelvoirdms.army.smil.mil)
1 - CHIEF, INVESTIGATIVE OPERATIONS, USACIDC
(b)(6),(b)(7)(C) sbelvoirdms.army.smil.mil) (b)(6),(b)(7)(C) @us.army.smil.mil)
1 - CID CURRENT OPERATIONS, USACIDC
(cid001dcsopsops2sc@sbelvoirdms.army.smil.mil)
1 - CDR, 3RD MILITARY POLICE GROUP (CID)
(3CIDEOC@force1.army.smil.mil)
1 - DEPUTY CHIEF OF STAFF OF OPERATIONS, USACIDC
(b)(6),(b)(7)(C) s.army.smil.mil)
1 - CDR, 10TH MP BN (CID) (FWD)
(b)(6),(b)(7)(C) iraq.centcom.smil.mil (b)(6),(b)(7)(C) raq.centcom.smil.mil)
1 - CDR, 76TH MP DET (CID)(FWD)
(b)(6),(b)(7)(C) raq.centcom.smil.mil)
1- CDR, FOB ABU GHRAIB, MNC-I, BCCF, ABU GHRAIB, IZ
(b)(6),(b)(7)(C) iraq.centcom.smil.mil)
1- PROVOST MARSHAL, MNF-I, AL FAW PALACE
(b)(6),(b)(7)(C) @iraq.centcom.smil.mil)
1 - CDR, 96TH MP BN, BCCF, ABU GHRAIB, IZ
(b)(6),(b)(7)(C) iraq.centcom.smil.mil)
1 - CDR, DETAINEE OPERATIONS, MNF-1, TF 134, ATTN: MAJ (b)(6),(b)(7)(C)
(b)(6),(b)(7)(C) iraq.centcom.smil.mil)
1 - SJA, 452ND MP BN, 42ND MP BDE, MNC-I, BCCF, ABU GHRAIB, IZ
(b)(6),(b)(7)(C) iraq.centcom.smil.mil)
1 – AFIP, DOVER PORT MORTUARY, DOVER AFB, DE
(b)(6),(b)(7)(C) us.army.smil.mi (b)(6),(b)(7)(C) @us.army.smil.mil)
1 - File

b(2), b(6), b(7)(C)

# HOSPITAL REPORT OF DEATH

FOR USE OF THIS FORM, SEE AR 40400; THE PROPONENT AGENCY IS OFFICE OF THE SURGEON GENERAL.

NAME AND LOCATION OF HOSPITAL

*Instructions - Medical Officer in attendance will:*

*Prepare, in one copy only, Items 1 through 10 and sign Item 11. Print or type entries.*

*Send form, without delay to the Registrar or Administrative Officer of the Day, for necessary action and for preparation of required number of copies.*

## SECTION A - ATTENDING MEDICAL OFFICER'S REPORT

### PERSONAL DATA

1. PATIENT DATA *(Patient's ward plate will be used to imprint identifying data if available)*

MAMID-MASHADANI, ABID-ES
000-15-7066
Detainee

Patient's name (Last, first, middle initial) Grade,
Social Security Account No., Register Number and Ward Number

2. TIME OF DEATH *(Hour-day-month-year)*: 04:02

3. MEDICAL EXAMINER/ CORONER'S CASE: ☐ YES ☒ NO

4. RELIGION:

5. CHAPLAIN NOTIFIED: ☐ YES ☒ NO

6. NAME, ADDRESS AND RELATIONSHIP OF RELATIVE OR FRIEND PRESENT AT DEATH

### CAUSE OF DEATH

| | | APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH |
|---|---|---|
| 7a. DISEASE OR CONDITION DIRECTLY LEADING TO DEATH *(This does not mean the mode of dying, e.g., heart failure, asthenia, etc. It means the disease, injury, or complication which caused death)* | DUE TO *(or as a consequence of)*: Cholecystitis | unknown |
| 7b. ANTECEDENT CAUSES *(Morbid conditions, if any, giving rise to the above cause, stating the underlying condition last)* | DUE TO *(or as a consequence of)* (1) | |
| | (2) | |
| 8. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO THE DEATH, BUT NOT RELATED TO THE DISEASE OR CONDITION CAUSING IT | a. | |
| | b. | |

| 9. DATE | 10. TYPED OR PRINTED NAME AND GRADE OF MEDICAL OFFICER IN ATTENDANCE | 11. SIGNATURE OF MEDICAL OFFICER IN ATTENDANCE |
|---|---|---|
| 12 OCT 2005 | (b)(6) | (b)(6) |

## SECTION B - ADMINISTRATIVE ACTION

| TYPE OF ACTION | HOUR | DAY | MONTH | YEAR | INITIALS OF RESPONSIBLE OFFICER |
|---|---|---|---|---|---|
| 12. TELEGRAM TO NEXT OF KIN OR OTHER AUTHORIZED PERSON | | | | | |
| 13. POST ADJUTANT GENERAL NOTIFIED | | | | | |
| 14. IMMEDIATE CO OF DECEASED NOTIFIED | | | | | |
| 15. INFORMATION OFFICE NOTIFIED | | | | | |
| 16. POST MORTUARY OFFICER NOTIFIED | | | | | |
| 17. RED CROSS NOTIFIED | | | | | |
| 18. OTHER *(Specify)* | | | | | |
| 19. | | | | | |

## SECTION C - RECORD OF AUTOPSY

| 20. AUTOPSY PERFORMED *(If yes, give date and place)* ☐ YES ☒ NO | 21. AUTOPSY ORDERED BY *(Signature)* |
|---|---|
| 22. PROVISIONAL PATHOLOGICAL FINDINGS | |
| 23. DATE | 24. TYPED NAME AND GRADE OF PHYSICIAN PERFORMING AUTOPSY / 25. SIGNATURE OF PHYSICIAN PERFORMING AUTOPSY |
| 26. DATE | 27. TYPED NAME AND GRADE OF REGISTRAR / 28. SIGNATURE OF REGISTRAR |

# CERTIFICATE OF DEATH *(OVERSEAS)*
## Acte de décès *(D'Outre-Mer)*

| NAME OF DECEASED *(Last, First, Middle)* Nom du décédé.(Nom et prénoms) | GRADE Grade | BRANCH OF SERVICE Arme | SOCIAL SECURITY NUMBER Numéro de l'Assurance Sociale |
|---|---|---|---|
| MAMID - MASHDANI, ABID-ES | — | — | — |
| **ORGANIZATION** Organisation | **NATION** *(e.g., United States)* Pays | **DATE OF BIRTH** Date de naissance | **SEX** Sexe ☒ MALE Masculin ☐ FEMALE Féminin |

| RACE Race | MARITAL STATUS État Civil | | RELIGION Culte | |
|---|---|---|---|---|
| ☐ CAUCASOID Caucasique | ☐ SINGLE Célibataire | ☐ DIVORCED Divorcé | ☐ PROTESTANT Protestant | ☐ OTHER *(Specify)* Autre *(Spécifier)* |
| ☐ NEGROID Négroïde | ☐ MARRIED Marié | | ☐ CATHOLIC Catholique | |
| ☐ OTHER (Specify) Autre *(Spécifier)* | ☐ WIDOWED Veuf | ☐ SEPARATED Séparé | ☐ JEWISH Juif | |

| NAME OF NEXT OF KIN Nom du plus proche parent | RELATIONSHIP TO DECEASED Parenté du décéde avec le susdit |
|---|---|
| **STREET ADDRESS** Domicilé à (Rue) (CERTIFICATE OF) | **CITY OF TOWN AND STATE** *(Include ZIP Code)* Ville (Code postal compris) |

### MEDICAL STATEMENT Declaration médicale

| CAUSE OF DEATH *(Enter only one cause per line)* Cause du décès (N'indiquer qu'une cause par ligne) | | | INTERVAL BETWEEN ONSET AND DEATH Intervalle entre l'attaque et le décès |
|---|---|---|---|
| DISEASE OR CONDITION DIRECTLY LEADING TO DEATH [1] Maladie ou condition directement responsable de la mort [1] | | CHOLECYSTITIS | UNKNOWN |
| ANTECEDENT CAUSES Symptômes précurseurs de la mort | MORBID CONDITION, IF ANY, LEADING TO PRIMARY CAUSE Condition morbide, s'il y a lieu, menant à la cause primaire | | |
| | UNDERLYING CAUSE, IF ANY, GIVING RISE TO PRIMARY CAUSE Raison fondamentale, s'il y a lieu, ayant suscité la cause primaire | | |
| OTHER SIGNIFICANT CONDITIONS [2] Autres conditions significatives [2] | | | |

| MODE OF DEATH Condition de décès | AUTOPSY PERFORMED Autopsie effectuée ☐ YES Oui ☒ NO Non | CIRCUMSTANCES SURROUNDING DEATH DUE TO EXTERNAL CAUSES Circonstances de la mort suscitées par des causes extérieures |
|---|---|---|
| ☑ NATURAL Mort naturelle | MAJOR FINDINGS OF AUTOPSY Conclusions principales de l'autopsie (CITY OR TOWN AND STATE) | |
| ☐ ACCIDENT Mort accidentelle | | |
| ☐ SUICIDE Suicide | NAME OF PATHOLOGIST Nom du pathologiste | |
| ☐ HOMICIDE Homicide | SIGNATURE (b)(6) | DATE Date 02 OCT 2005 |

| AVIATION ACCIDENT Accident à Avion | |
|---|---|
| ☐ YES Oui | ☐ NO Non |

| DATE OF DEATH *(Hour, day, month, year)* Date de décès *(l'heure, le jour, le mois, l'année)* (ANTECEDENT CAUSES TO PRIMARY CAUSE) | PLACE OF DEATH Lieu de d (b)(6) |
|---|---|

I HAVE VEIWED THE REMAINS OF THE DECEASED AND DEATH OCCURRED AT THE TIME INDICATED AND FROM THE CAUSES AS STATED ABOVE.
J'ai examiné les restes mortels du défunt et je conclus que le décès est survenu à l'heure indiquée et à, la suite des causes énumérées ci dessus

| NAME OF MEDICAL OFFICER Nom du médicin militaire ou du médicin civil | TITLE OR DEGREE Titre ou diplômé |
|---|---|
| (b)(6) | |
| GRADE Grade | INSTALLATION OR ADDRESS Installation ou adresse |
| DATE Date 02 OCT 2005 | SIGNATUR (b)(6) |

[1] *State disease, injury or complication which caused death, not the mode of dying such as heart failure, etc.*
[2] *State conditions contributing to the death, but not related to the disease or condition causing death.*
[1] *Préciser la nature de la maladie, de la blessure ou de la complication qui a contribué à la mort, mais non le mode de mourir tels qu'un arrêt du coeur, etc.*
[2] *Préciser la condition qui a contribué à la mort, mais n'ayant aucun rapport avec la maladie ou à la condition qui a provoqué la mort.*

ACLU DDII CID POIS 39692
ACLU RDI 5502 p.5 FOR OFFICIAL USE ONLY Law Enforcement Sensitive EXHIBIT 3

**MEDICAL RECORD**

**INTRAOPERATIVE DOCUMENT**

For use of this form, see AR 40-407, the proponent agency is the office of The Surgeon General.

1. PATIENT TRANSPORTED TO OPERATING ROOM VIA Litter BY OIC (b)(6)

2. PATIENT IDENTIFIED, RECORD REVIEWED AND PROCEDURE VERIFIED BY (b)(6)

3. DATE Sept 30 2005 TIME PATIENT ARRIVED IN SUITE 2300

4. PATIENT IN ROOM TIME 2305 NUMBER

5. PREOPERATIVE EMOTIONAL STATUS

☑ CALM ☐ ANXIOUS ☐ EXCITED ☐ CRYING ☐ ANGRY ☐ WITHDRAWN ☐ OTHER *(Specify)*

COMMENTS:

6. NURSING PERSONNEL

| | | | |
|---|---|---|---|
| ASSIGNED SCRUB | (b)(6) | RELIEF SCRUB | |
| ASSIGNED CIRCULATOR | (b)(6) (b)(6) | RELIEF CIRCULATOR | |

7. POSITION AND POSITIONAL AIDS *(Specify)*

☑ SUPINE ☐ LITHOTOMY ☐ PRONE ☐ KRASKE ☐ LATERAL: ☐ LEFT SIDE UP ☐ RIGHT SIDE UP


COMMENTS:

8. SKIN PREPARATION

HAIR REMOVAL ☐ YES ☐ NO
DONE BY: ☐ OR ☐ NURSING UNIT
METHOD: ☐ DEPILATORY ☐ RAZOR ☐ CLIP
COMMENTS:

PREP SOLUTION *(Specify)* Betadine Scrub/Sol
SITE: Abdomen BY WHOM: Dr Ryle
SITE: BY WHOM:
COMMENTS:

9. LOCATION OF EXTERNAL DEVICES




LEGEND X Ground Pad -- Safety Strap === Tourniquet

C = Correct I = Incorrect

| 10. COUNTS | | Other** | First Closing Count | Final Closing Count |
|---|---|---|---|---|
| Sponge | ☑ Yes ☐ No | | C | C |
| Needle Sharp | ☑ Yes ☐ No | | C | C |
| Instrument | ☑ Yes ☐ No | | C | C |
| Other | ☐ Yes ☐ No | | | |

SCRUB (b)(6)

CIRCULATOR (b)(6)

11. PATIENT IDENTIFICATION *(For typed or written entries give: Name - Last, first, middle; Grade; Date; Hospital or Medical Facility;)*

Doherive
Hamid/Al mashadawi Abi
000-15-7066

12. ELECTROSURGERY DEVICE(S) (ESU) ☑ YES ☐ NO

☐ ESU NO: MD2.50
GROUND PAD: BRAND Ref E70127
LOT NO: (b)(6)

☐ ESU NO:
GROUND PAD: BRAND 2006-06
LOT NO:

☐ BIPOLAR NO:

DA FORM 5179-1, OCT 87 REPLACES DA FORM 5179-1 (TEST), DEC 82, WHICH IS OBSOLETE.

ACLU DDII CID ROIS 39693



EXHIBIT 3

| MEDICAL RECORD | CHRONOLOGICAL RECORD OF MEDICAL CARE |
|---|---|
| DATE | SYMPTOMS, DIAGNOSIS, TREATMENT, TREATING ORGANIZATI *(sign each entry)* |
| 2005-09-30 | Complaint: HIGH/ LOW BLOOD PRESSURE |
| 17:40 | BP: 112/78 Weight: _____ Temp: 99 |

9-30-05 60 yr. old male transported from the IHA Came in from ROCCH today via trauma with a blood sugar of 440 #20 (R) AC — received 2 liters NS (KVS) O2 Sat 88% — placed on 2LNC 100% NRB CBC, CMP Panel, UA sent — WBC 41.5 Repeat BS at 1900 359 CT of abdomen ordered — awaiting radiology. Hepatitis Panel (A,C,M) sent & Restless at present —

(b)(6)

| HOSPITAL OR MEDICAL FACILITY | STATUS | DEPART./SERVICE | RECORDS MAINTAINED AT |
|---|---|---|---|
| 1381 - TF 344 MED | Outpatient | BAZ - Medical Care NEC | |

| SPONSOR'S NAME | SSN/ID NO. | RELATIONSHIP TO SPONSOR |
|---|---|---|
| HAMID/AL MASHADANI,, ABID/ESMAIL | 000-15-7066 | 20 |

PATIENT'S IDENTIFICATION:

| REGISTER NO. | WARD NO. |
|---|---|
| | |

NAME: HAMID/AL MASHADANI,, ABID/ESM GRADE: FGN
SSN: 000-15-7066 DetaineeNbr:
SEX: M DOB: 1945-01-01
Unit / Org: IHA

CHRONOLOGICAL RECORD OF MEDICAL CARE
Medical Record
STANDARD FORM 600 - Automated Facsimile

AUTHORIZED FOR LOCAL REPRODUCTION

MEDICAL RECORD | PROGRESS NOTES

| DATE | NOTES |
|---|---|
| 1 Oct 05 0010 | Surgery Op-Note<br>Pre/Post-Op DX: Gangenous gallbladder<br>Procedure: Ex lap, Cholecystectomy<br>Surgeon: Flynn, Wenstrup<br>Anesthesia: general<br>EBL: 250 cc<br>Fluids 3000 cc<br>Foley: 30 cc<br>Specimen Gallbladder & cultures<br>Complications: none noted<br>Drains JP x 1<br>Pt to ICU critical |
| 1 Oct 05 0110 hrs | Pt received from OR @ 0010 hrs via stretcher, sedated & intubated. Pt placed ICU Bed 4. Pt cool to touch, unable to obtain SpO2. (b)(6) notified. Dopamine gtt started @ 0010 hrs for SBP 80's. Will monitor, titrate gtt for SBP >100. PERRLA-2mm fixed. Sclera jaundiced. + corneal reflexes noted. + gag/cough noted to suction. Safety precautions maintained. Bilat wrist restraints applied. All meds & procedures explained to pt. ↓ distress (acute) noted. See ICU flowsheet for completion of assessment. Will monitor pt closely. (b)(6) |

RELATIONSHIP TO SPONSOR | SPONSOR'S NAME: LAST | FIRST | MI | (Rank or Title)

DEPART./SERVICE | HOSPITAL OR MEDICAL FACILITY | RECORDS MAINTAINED AT

PATIENT'S IDENTIFICATION: *(For typed or written entries, give: Name - last, first, middle; ID No or SSN; Sex; Date of Birth; Rank/Grade)* | REGISTER NO. | WARD NO.

A14F1

1000291 20 00015 7066
HAMID/MASHADANI, ABID/ES
UNK M I DETAINEE

PROGRESS NOTES
Medical Record

STANDARD FORM 509 (REV. 5-99)
Prescribed by GSA/ICMR FPMR (41 CFR) 101-11.203(b)(10)

PRINTED ON RECYCLED PAPER

509-114

ACLU DDII CID ROIS 39695

EXHIBIT 3

NSN 7540-01-075-3788

| MEDICAL RECORD | EMERGENCY CARE AND TREATMENT (Doctor) | TIME SEEN BY PROVIDER |
|---|---|---|
| | | 1800 |

**TEST RESULTS**

CBC: WBC 41.5 K; H/H 13.9/38.9; PLT 129

SMAC: 13 WBC 4 Blasts

| | | | |
|---|---|---|---|
| 126 | 87 | 65 | 374 |
| 4.2 | 20 | 3.9 | |

PT

APTT

BHCG

ETOH

GLU

ABG/PULSE OX: SUP O2 | PH | PO2 | PCO2 | SAT | OTHER: ALP 362, ALT 256, AST = Color interference

UA: DIP; MICRO

RADIOLOGY — Check if read by radiologist ☐

RESULTS: NAD

EKG INTERPRETATION

**PROVIDER HISTORY/PHYSICAL**

1800 Pt arrived from medic. Vomiting. Not Eating. Exam Alert. mod distress. mouth & mm dry. Lungs CTAB. CV RRR s m Abd diffusely tender. BS ↓

Bmca today or yest — Dx type II DM oral. diarrhea x 4 days. Diabetic x 20 yrs.

Accu-Chek 440.

lisinopril 5mg
glucophage 500mg bid
glyburide 5mg sid

ED Course — pt hydrated c 2L NS. Could not urinate. O2 Sat 85% initially, 98% on 2L Nasal O2. Unable to void despite all of his LFT's 2° to Color interference c Blood clot. Cannot get CT 2° to Elevated Creatinine with IVF but in ER.

PMHx
type II DM
HTN
& CKD
Family Hx unk

| CONSULT WITH | TIME | ACTION |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |

DIAGNOSIS
1) Hyperglycemia (A Anion gap) 4) Elevated LFT's
2) dehydration
3) Acute Renal Failure

PATIENT'S IDENTIFICATION (For typed or written entries, give: Name – last, first, middle; ID no. (SSN or other); hospital or medical facility)

RESIDENT/MEDICAL STUDENT SIGNATURE AND STAMP

PROVIDER SIGNATURE AND STAMP

CODES

Pt reassessed @ 2030 - CBG. Hyperglycemic/Anion gap VBG = 7.19 pH

CT A = glycemia GB, free air — Dr team called, (b)(6) here to evaluate.

EMERGENCY CARE AND TREATMENT (Doctor)
Medical Record
STANDARD FORM 558 (REV. 9-98)
Prescribed by GSA/ICMR
FPMR (41 CFR) 101-11.203(b)(10)
USAPA V1.00

| DATE | NOTES |
|---|---|
| | |
| | |
| | |
| 04:02 | ER Doc. |
| | called to bedside multiple times for lab results |
| | and BP drops. 4u of blood ordered for HR 5 |
| | ~~pm/HR~~ p/op Lasix. Blood ready @ 0r 3:40, Central |
| | venous line retracted in @ groin in order to |
| | administer blood. Blood started, noted bradycardic |
| | event. Pt progressed to full cardiac arrest. |
| | 2 units pressure-infused, multiple drugs given |
| | (epi/atropine/cacl/NaHCO3) and CPR performed 5 |
| | success. found 4s throughout. Obvious blood from |
| | surgical wounds, airway intact & ETT throughout. |
| | @ 4:02 pt declared dead by asystole noted and |
| | lack of response to resuscitative attempts. |

(b)(6)

STANDARD FORM 509 (REV. 5-99) BACK

ACLU DDII CID RQIS 39697





EXHIBIT 3

518-124 NSN 7540-00-634-4159

# MEDICAL RECORD — BLOOD OR BLOOD COMPONENT TRANSFUSION

## SECTION I – REQUISITION

COMPONENT REQUESTED *(Check one)*
- [X] RED BLOOD CELLS
- [ ] FRESH FROZEN PLASMA
- [ ] PLATELETS *(Pool of _____ units)*
- [ ] CRYOPRECIPITATE *(Pool of _____ units)*
- [ ] Rh IMMUNE GLOBULIN
- [ ] OTHER *(Specify)* _____

VOLUME REQUESTED *(If applicable)*: _____ ML

REMARKS:

TYPE OF REQUEST *(Check ONLY if Red Blood Cell Products are requested.)*
- [ ] TYPE AND SCREEN
- [X] CROSSMATCH

DATE REQUESTED: 1 OCT 2005

DATE AND HOUR REQUIRED: 1 OCT 2005

KNOWN ANTIBODY FORMATION/TRANSFUSION REACTION *(Specify)*:

IF PATIENT IS FEMALE, IS THERE HISTORY OF:

RhIG TREATMENT? DATE GIVEN: _____

HEMOLYTIC DISEASE OF NEWBORN? _____

REQUESTING PHYSICIAN *(Print)*: (b)(6)

DIAGNOSIS OR OPERATIVE PROCEDURE: S/P Exp lap, Cholecystectomy

I have collected a blood specimen on the below named patient, verified the name and ID No. of the patient and verified the specimen tube label to be correct.

SIGNATURE OF VERIFIER: (b)(6)

DATE VERIFIED: 1 OCT 2005

TIME VERIFIED: 0205 hrs

## SECTION II – PRE-TRANSFUSION TESTING

UNIT NO.: (b)(6)

TRANSFUSION NO.: 3

PATIENT NO.: 157066

TEST INTERPRETATION

| ANTIBODY SCREEN | CROSSMATCH |
|---|---|
| Negative | Compatible |

PREVIOUS RECORD CHECK: [✓] RECORD [ ] NO RECORD

SIGNATURE OF PERSON PERFORMING TEST: (b)(6)

DONOR: ABO B+ Rh

RECIPIENT: ABO B+ Rh

[ ] CROSSMATCH NOT REQUIRED FOR THE COMPONENT REQUESTED DATE 1 OCT 2005

REMARKS: Exp 19 OCT 2005 Immediate crossmatch Specimen

## SECTION III – RECORD OF TRANSFUSION

PRE-TRANSFUSION DATA

INSPECTED AND ISSUED BY *(Signature)*: (b)(6)

(b)(6)

AT *(Hour)*: 0340 ON *(Date)*: 1 Oct 05

IDENTIFICATION

I have examined the Blood Component container label and this form and I find all information identifying the container with the intended recipient matches item by item. The recipient is the same person named on this Blood Component Transfusion Form and on the patient identification tag.

1st VERIFIER *(Signature)*: (b)(6)

2nd VERIFIER *(Signature)*: (b)(6)

PRE-TRANSFUSION

TEMP. | PULSE 80 | BP 0

DATE OF TRANSFUSION: 01 OCT 05 TIME STARTED: 0351

POST-TRANSFUSION DATA

AMOUNT GIVEN: ML

TIME/DATE ~~COMPLETED~~/INTERRUPTED: 0400 1 Oct 05 - pt expired

| REACTION | TEMPERATURE | PULSE | BLOOD PRESSURE |
|---|---|---|---|
| [X] NONE [ ] SUSPECTED | | | |

If reaction is suspected—IMMEDIATELY:
1. Discontinue transfusion, treat shock if present, keep intravenous line open.
2. Notify Physician and Transfusion Service.
3. Follow Transfusion Reaction Procedures.
4. Do NOT discard unit. Return Blood Bag, Filter Set, and I.V. solutions to the Blood Bank.

DESCRIPTION OF REACTION
- [ ] URTICARIA [ ] CHILL [ ] FEVER [ ] PAIN
- [ ] OTHER *(Specify)*

OTHER DIFFICULTIES *(Equipment, clots, etc.)*
- [X] NO [ ] YES *(Specify)*

SIGNATURE OF PERSON NOTING ABOVE: (b)(6)

PATIENT IDENTIFICATION—USE EMBOSSER (For typed or written entries give: Name—Last, first, middle; grade; rank; rate; hospital or medical facility)

A14F1

0000291 20 00015 7066
HAMID/MASHADANI, ABID/ES
JNK M-I DETAINEE

SEX: M WARD: ICU

BLOOD OR BLOOD COMPONENT TRANSFUSION
Medical Record

STANDARD FORM 518 (REV. 9-92)
Prescribed by GSA/ICMR, FIRMR (41 CFR) 201-9.202-1

Medical Records Copy

ACLU DDII CID ROIS 39698
ACLU-RDI 5503 p.11



EXHIBIT 3

AUTHORIZED FOR LOCAL REPRODUCTION

# MEDICAL RECORD–ANESTHESIA

PROCEDURE: Exp. Lap., Cholecystectomy

| DATE | OR NO. | PAGE OF | SURGEON(S) |
|---|---|---|---|
| 30SepT05 | | | (b)(6) |

| ITEM | START | STOP |
|---|---|---|
| Anesthesia | 2252 | 0011 |
| Procedure | 1123 | 0046 |

**PRE–PROCEDURE**
- [x] Identified [x] ID Band [x] Questioning
- [x] Chart Review [ ] Permit Signed
- [ ] NPO Since _____
- Anesthetic State: [ ] Calm [x] Awake [ ] Asleep [ ] Apprehensive [ ] Confused [ ] Uncooperative [ ] Unresponsive

**PATIENT SAFETY**
- [x] Anes. Machine # _____ Checked
- [x] Safety Belt On [ ] Axillary Roll
- [ ] Arm Restraints [ ] Arms Tucked
- [x] Pressure points checked and padded
- [ ] Eye Care: [ ] Ointment [ ] Saline
- [ ] Taped [ ] Pads [ ] Goggles

**MONITORS AND EQUIPMENT**
- [ ] Steth [ ] Esoph [ ] Precord [ ] Other
- [x] Non-Invasive B/P [ ] Nerve Stimulator
- [x] Continuous EKG [ ] V Lead EKG
- [x] Pulse Oximeter [ ] Oxygen Analyzer
- [ ] End Tidal $CO_2$ [ ] Resp. Gas Anlyzr
- [x] Temp. [ ] E.C.G.
- [ ] Warming Blanket [ ] Fluid Warmer
- [ ] Airway Humidifier [ ] _____
- [ ] NG/OG Tube [ ] Foley Catheter
- [ ] Art Line _____
- [ ] CVP _____
- [ ] PA Line _____
- [ ] IV(s) _____
- [ ] _____

**ANESTHETIC TECHNIQUES**
- Method: [x] General [ ] Spinal [ ] Epidural [ ] Caudal [ ] Brachial [ ] Nerve Block [ ] Ankle Blk [ ] M.A.C.
- General: [x] Pre-$O_2$ [ ] L.T.A. [x] Rapid Sequence [ ] Cricoid Pressure [x] Intravenous [ ] Inhalation [ ] Intramuscular [ ] Rectal
- Regional: [ ] Position _____
- [ ] Prep _____ [ ] Local _____
- [ ] Needle _____
- [ ] Drug(s) _____
- [ ] Dose _____ [ ] Attempts x _____
- [ ] Site _____ [ ] Level _____
- [ ] Catheter _____ [ ] See Remarks

**AIRWAY MANAGEMENT**
- [ ] Intubation [x] Oral [ ] Nasal
- [x] Direct Vision [ ] Magill's [ ] Blind
- [ ] Diff. see Rmks [ ] Fiber Op [ ] Stylet
- [ ] Attempts x _____ [ ] Blade _____
- [ ] Tube size _____ [ ] Endobronchial
- [ ] Regular [ ] RAE [ ] Armored [ ] Laser
- [x] Cuffed [x] Min. occ. pres. [ ] Air [ ] NS
- [ ] Uncuffed, leaks at _____ cm $H_2O$
- [ ] Secured at _____ [ ] ET $CO_2$ Present
- [ ] Breath Sounds _____
- [ ] Circuit: [x] Circle [ ] Non-rebreathing
- [ ] Airway: [ ] Oral [ ] Nasal [ ] Natural
- [ ] Mask Case [ ] Via Tracheostomy
- [ ] Nasal Cannula [ ] Simple $O_2$ Mask

**RECOVERY ROOM**

Time 0011 B/P 94/48 $O_2$ Sat.

[ ] PACU [x] ICU [ ] L&D — P [illegible] R [illegible] T

- [ ] Awake [ ] Spont Resp [ ] Oral Airway
- [ ] Asleep [ ] Ventilator [ ] Nasal Airway
- [ ] Stable [ ] Extubated [ ] Face Shield $O_2$
- [ ] Unstable [ ] Intubated [ ] T-Piece $O_2$

**CONTROLLED DRUGS**

| Drug | Used | Destroyed | Returned |
|---|---|---|---|
| Fentanyl | 100 | | |
| | | | |
| | | | |

Provider _____ Witness _____

TIME: 2230 2300 0000 0100

| | | | | | | | | | | | TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|
| [ ] Hal [ ] Enf [x] Iso (%) / [ ] $N_2O$ [ ] Air (L/min) | | 0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | | |
| Oxygen (L/min) | | 5 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | | |
| Ventolf ( ) | | 50 | 100 | 100 | | | | | | | 250 mg |
| Propofol ( ) | | 50 | 50 | | | | | | | | 100 mg |
| Anectine ( ) | | 100 | | | | | | | | | 100 |
| Vecuronium ( ) | | | 7 | | | | 3 | | | | 10 mg |
| ( ) | | | | | | | | | | | |
| IVF | | 10 | 10 | 10 | | | VLR | | | | NL 3L |

Urine (ml)
EBL (ml)

EKG: ST ST ST ST ST ST ST ST ST
% $O_2$ Inspired ($FIO_2$): 100 50 50 50 50 50 50 50 50
$O_2$ Saturation ($SaO_2$): 99 99 99 99 99 99 99 99 99
End Tidal $CO_2$: 38 38 38 38 38 38 38
Temp: [x] °C [ ] °F

Baseline Values: 105/70 (B/P); 150 (P); 38 (R)

200 180 160 140 120 100 80 60 40 20

| VENT | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Tidal Vol. (ml) | SV | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | |
| Resp. Rate | | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | |
| Peak Pres. (cm $H_2O$) | | 27 | 24 | 21 | 21 | 22 | 28 | 28 | 28 | 30 | |
| PEEP (cm $H_2O$) | | | | | | | | | | | |
| Symbols for Remarks | | | | | | | | | | | |
| Position | | | | | | | | | | | |

SYMBOLS: X ANESTHESIA; ⊙ OPERATION; V/Λ B/P CUFF PRESSURE; ┴/T ARTERIAL LINE PRESSURE; Δ/V MEAN ARTERIAL PRESSURE; ● PULSE; O SPONTANEOUS RESP; Ø ASSISTED RESP; ⊗ CONTROLLED RESP; T TOURNIQUET

ANESTHESIA PROVIDER(S) (b)(6)

PATIENT'S IDENTIFICATION *(For typed or written entries give: Name–last, first, middle: ID No. (SSN or other); hospital or medical facility.)*

REMARKS: (b)(6) Arm IER Iv x 1. A-line - Applied Pressure, Swollen L wrist - Bag PRN, 16 Fr NG Saline Irrig Through OT Nasal Copious Amt Coffee Ground Material

Connected to M I DETAINEE UNIT
HAMID/MASHADANI, ABID/ES
(100291) 20 00015 7066
A14F

ANESTHESIA
Medical Record
OPTIONAL FORM 517 (7–95)
Prescribed by GSA/ICMR,
FPMR (41 CFR) 101–11.203(b)(10)

518-124 NSN 7540-00-634-4159

# MEDICAL RECORD — BLOOD OR BLOOD COMPONENT TRANSFUSION

## SECTION I – REQUISITION

COMPONENT REQUESTED *(Check one)*
- [x] RED BLOOD CELLS
- [ ] FRESH FROZEN PLASMA
- [ ] PLATELETS *(Pool of _____ units)*
- [ ] CRYOPRECIPITATE *(Pool of _____ units)*
- [ ] Rh IMMUNE GLOBULIN
- [ ] OTHER *(Specify)* _____

VOLUME REQUESTED *(If applicable)*: 1 UNIT ML

REMARKS:

TYPE OF REQUEST *(Check ONLY if Red Blood Cell Products are requested.)*
- [x] TYPE AND SCREEN
- [x] CROSSMATCH

DATE REQUESTED: 30 Sept 05

DATE AND HOUR REQUIRED: 30 Sept 2245

KNOWN ANTIBODY FORMATION/TRANSFUSION REACTION *(Specify)*:

IF PATIENT IS FEMALE, IS THERE HISTORY OF:

RhIG TREATMENT? DATE GIVEN: _____

HEMOLYTIC DISEASE OF NEWBORN? _____

REQUESTING PHYSICIAN *(Print)*: (b)(6)

DIAGNOSIS OR OPERATIVE PROCEDURE: Hyperglycemia r/o DKA

I have collected a blood specimen on the below named patient, verified the name and ID No. of the patient and verified the specimen tube label to be correct.

SIGNATURE OF VERIFIER: (b)(6)

DATE VERIFIED: 30 Sept 05

TIME VERIFIED: 2245

## SECTION II – PRE-TRANSFUSION TESTING

UNIT NO.: (b)(6)

TRANSFUSION NO.: 1

PATIENT NO.: 157066

DONOR ABO: B+ Rh:

RECIPIENT ABO: B+ Rh:

TEST INTERPRETATION

| ANTIBODY SCREEN | CROSSMATCH |
|---|---|
| negative | Compatible |

PREVIOUS RECORD CHECK: [ ] RECORD [x] NO RECORD

SIGNATURE OF PERSON PERFORMING TEST: (b)(6)

[ ] CROSSMATCH NOT REQUIRED FOR THE COMPONENT REQUESTED DATE: OCT 1 2005

REMARKS: EXP 19 OCT 2005
immediate spin crossmatch only

## SECTION III – RECORD OF TRANSFUSION

### PRE-TRANSFUSION DATA

INSPECTED AND ISSUED BY *(Signature)*: (b)(6)

AT *(Hour)*: 0330 ON *(Date)*: OCT 1 2005

IDENTIFICATION

I have examined the Blood Component container label and this form and I find all information identifying the container with the intended recipient matches item by item. The recipient is the same person named on this Blood Component Transfusion Form and on the patient identification ARM.

1st VERIFIER: (b)(6)

2nd VERIFIER *(Signature)*: (b)(6)

PRE-TRANSFUSION: TEMP. 98.7 | PULSE 62 | BP 79/32

DATE OF TRANSFUSION: 1 OCT 2005 | TIME STARTED: 0344 hrs

PATIENT IDENTIFICATION—USE EMBOSSER (For typed or written entries give: Name—Last, first, middle; grade; rank; rate; hospital or medical facility)

HAMID AL MASHADANI
157066

### POST-TRANSFUSION DATA

AMOUNT GIVEN: 300 ML

TIME/DATE COMPLETED ~~INTERRUPTED~~: 0355 hrs 1 Oct 05

| REACTION | TEMPERATURE | PULSE | BLOOD PRESSURE |
|---|---|---|---|
| [x] NONE [ ] SUSPECTED | ——— | 61 | 141 / ——— |

If reaction is suspected—IMMEDIATELY:
1. Discontinue transfusion, treat shock if present, keep intravenous line open.
2. Notify Physician and Transfusion Service.
3. Follow Transfusion Reaction Procedures.
4. Do NOT discard unit. Return Blood Bag, Filter Set, and I.V. solutions to the Blood Bank.

DESCRIPTION OF REACTION
- [ ] URTICARIA [ ] CHILL [ ] FEVER [ ] PAIN
- [ ] OTHER *(Specify)*

OTHER DIFFICULTIES *(Equipment, clots, etc.)*
- [x] NO [ ] YES *(Specify)*

SIGNATURE OF PERSON NOTING ABOVE: (b)(6)

SEX: M/S WARD: ICU

BLOOD OR BLOOD COMPONENT TRANSFUSION
Medical Record

STANDARD FORM 518 (REV. 9-92)
Prescribed by GSA/ICMR, FIRMR (41 CFR) 201-9.202-1

PRINTED ON RECYCLED PAPER

Medical Record Copy

| ADMISSION ASSESSMENT | DISCHARGE ASSESSMENT |
|---|---|
| INEFFECTIVE BREATHING PATTERN<br>LUNG SOUNDS: Equal Yes ✓ No _____<br>Clear Yes ✓ No _____<br>$O_2$ Therapy vent A/C mode<br>Airway: ETT ✓ Oral _____ Nasal _____ N/A _____ | INNEFFECTIVE BREATHING PATTERN<br>LUNG SOUNDS: Equal Yes _____ No _____<br>Clear Yes _____ No _____<br>Respirations even & unlabored _____<br>$SaO_2$ WNL on Room Air Yes _____ No _____ |
| ALTERED THOUGHT PROCESSES<br>___✓___ Unresponsive _____ Sedated/ responds to verbal stimuli<br>___✓___ Sedated/Responsive to deep stimulus _____ Awake/ Unsedated<br>_____ Oriented to time, place, person | ALTERED THOUGHT PROCESSES<br>_____ Oriented to time, place, person, stimulation; baseline mentation has returned. |
| POTENTIAL FOR DECREASED CARDIAC OUTPUT<br>___✓___ Cardiac Monitor ___✓___ Normal sinus rhythm without ectopy<br>Skin Condition _____ Warm ___✓___ Dry ___✓___ Cool _____ Moist<br>IV Site without S/S infiltration or irritation ___✓___ Yes _____ No<br>Capillary refill < 3 seconds ✓ Yes _____ No | POTENTIAL FOR DECREASED CARDIAC OUTPUT<br>_____ Vital Signs Stable<br>Skin Condition _____ Warm _____ Dry _____ Cool _____ Moist<br>IV Site without S/S of infiltration or irritation _____ Yes _____ No<br>Other: |
| POTENTIAL FOR INJURY<br>Moves all extremities ✓ Yes _____ No<br>Supportive device Pt. keeps hands on face stimulus | POTENTIAL FOR INJURY<br>Moves all extremities _____ Yes _____ No _____ Other |
| ALTERED PATTERN OF URINARY ELIMINATION<br>✓ Foley Due to void /Time of last void min output | ALTERED PATTERN OF URINARY ELIMINATION<br>Voided Due to void Foley Other |
| ALTERED GI FUNCTIONS<br>___✓___ Active Bowel sounds X 4 Quads _____ Hypoactive Bowel Sounds<br>___✓___ Abdomen non-distended Other Absent bowel sounds | ALTERED GI FUNCTION<br>_____ Bowel sounds present x 4 quads ____ Abdomen non-distended<br>Other |
| IMPAIRED SKIN INTEGRETY<br>Dressings and Rabd JP to bulb suction<br>C/D/I ✓ | IMPAIRED SKIN INTEGRETY<br>_____ Dressings clean, dry and intact<br>Other |
| ALTERATION IN COMFORT<br>Pain Level _____ (0 = none; 10 = severe) Location _____<br>Ice/heat/elevation _____ Positioning _____ | ALTERATION IN COMFORT LEVEL<br>_____ Pain managed with analgesics Level: ____ (0 = none; 10 = severe)<br>Ice/ heat/ elevation _____ Positioning _____ |

RN Signature (b)(6) RN Signature _____

Anesthesia Medication Orders

1. _____
2. _____
3. _____

| TIME | MEDICATION | DOSE | ROUTE | SITE | SIGNATURE | EFFECT |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

OTHER INTERVENTIONS See ICU flowsheet

PACU STANDARDS OF CARE MET

Name: _____

Signature: _____

ACLU DDII CID RDI 39701



EXHIBIT 3

# CLINICAL RECORD — THERAPEUTIC DOCUMENTATION CARE PLAN (NON-MEDICATION)

For use of this form, see AR 40-407; the proponent agency is the Office of the Surgeon General

Mo. 10 Yr. 05

VERIFY BY INITIALING — INITIAL PROPER COLUMN FOLLOWING EACH COMPLETION

| ORDER DATE | CLERK/ NURSE | RECURRING ACTIONS, FREQUENCY, TIME | HR | DATE COMPLETED 30 31 |
|---|---|---|---|---|
| 10/1 | (b)(6) | Vital Q1° | 07 | / |
| | | | 19 | (b)(6) |
| 10/1 | | Diet: NPO | 07 | / |
| | | | 19 | (b)(6) |
| 10/1 | | NGT to LIWS | 07 | / |
| | | | 19 | (b)(6) |
| 10/1 | | Foley to DD | 07 | / |
| | | | 19 | (b)(6) |
| 10/1 | | Sp to bulb suction | 07 | / |
| | | | 19 | (b)(6) |
| 10/1 | | Strict I/O's | 07 | / |
| | | | 19 | (b)(6) |
| 10/1 | | Vent: AC 14, V-800 | 07 | / |
| | | FIO2 50% | 19 | (b)(6) |

ALLERGIES: ☐ YES ☑ NO — NKDA

PRIMARY DIAGNOSIS: Gangrous Gallbladder A/14 F1

ADDITIONAL PAGES IN USE: ☐ YES ☐ NO — PAGE NO.

PATIENT IDENTIFICATION:
1000291 20 00015 7066
HAMID/KASHADANI, ABID/ES
UNK H I DETAINEE

ACTION TIMES
USE PENCIL. CIRCLE ACTION TIMES

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| D | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 |
| E | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| N | 24 | 01 | 02 | 03 | 04 | 05 | 06 | 07 |

DA FORM 4677, 1 OCT 78 — EDITION OF 1 DEC 77 MAY BE USED. — USAPA V1.00

# EMERGENCY RESUSCITATION RECORD

For use of this form, see MEDCOM Circular 40-5

PART 1 - Complete this report immediately following the event. Place the original in the patient's record and provide a copy to the nursing supervisor/OIC.

1. DATE: 10 Oct 2005

2. LOCATION OF RESUSCITATION: ☒ Ward: ICU
☐ MICU ☐ SICU ☐ CCU ☐ NICU ☐ PICU ☐ ED ☐ PACU ☐ OR
☐ Diagnostic/Procedure Area: _____
☐ Outpatient Clinic: _____
☐ Other *(Specify)*: _____

3. PATIENT STATISTICS:
Age: _____ Gender: M
Height (in): _____
Weight (lbs): _____ Weight (kg): _____

4. INITIAL CONDITION:
CONSCIOUS? ☐ Yes ☒ No BREATHING? ☒ Yes ☐ No
PULSE? ☐ Yes ☐ No Pulse Site: _____
WITNESSED ARREST? ☒ Yes ☐ No ☐ Unknown
MONITORED AT ONSET? ☒ Yes ☐ No

5. INITIAL RHYTHM:
☐ Asystole ☐ Pulseless Electrical Activity ☐ Other: _____
☒ Bradycardia ☐ Ventricular Fibrillation
☐ Perfusing Rhythm ☐ Ventricular Tachycardia

RETURN OF SPONTANEOUS CIRCULATION (ROSC):
☐ Returned at: _____ ☒ Never Achieved
☐ Unsustained ROSC: ☐ < 20 min ☐ > 20 min

TIME CPR STOPPED: 0402 DUE TO: ☐ ROSC ☐ DNR ☒ Death

6. IMMEDIATE CAUSE OF ARREST/EVENT: *(Check One)*
☒ Hypotension/Hypovolemia
☐ Lethal Arrhythmias
☐ Metabolic
☐ Myocardial Infarction or Ischemia
☐ Respiratory Depression
☐ Trauma
☐ Unknown
☐ Other: _____

7. RESUSCITATION ATTEMPTED:
☒ YES *(Check all that apply)*
☒ Airway Management ☐ Cardiac Massage
☒ Chest Compressions ☐ Defibrillation
☒ NO *(Check one)*
☐ False Alarm/Arrest (BLS/ALS not needed)
☐ Do Not Resuscitate (DNR)
☐ Pronounced Dead Prior to Resuscitation
☐ Other: _____

8. EVENT TIMES: (The times below are required to calculate the American Heart Ass'n and European Resuscitation Council in-hospital chain of survival.)

| | Time *(Military)* |
|---|---|
| Collapse/Arrest Onset: | 0344 |
| CPR Started: | 0352 |
| 1st Defibrillation: | |
| Airway Achieved: | N/A |
| 1st Dose Epinephrine: | |
| Code Team Called: | MD & ICU staff @ bedside |
| ☐ Yes ☒ No | |
| Code Team Arrived: | |

9. INTERVENTIONS:

| (CHECK THOSE IN PLACE AT START OF RESUSCITATION) | (CHECK THOSE INITIATED DURING RESUSCITATION, NOTE TIME) | COMMENTS |
|---|---|---|
| ☒ IV Access Gauge: 20 Site: R AC | ☐ Time(s) ____/____ | |
| ☒ Endotracheal Tube Size: 8.0 | ☐ Time(s) ____/____ | |
| ☒ Mechanical Ventilation | ☐ Time(s) ____/____ | |
| ☒ Arterial Line | ☐ Time(s) ____/____ | |
| ☒ Central Venous Line | ☐ Time(s) ____/____ | |
| ☐ Pulmonary Artery Catheter | ☐ Time(s) ____/____ | |
| ☒ Nasogastric Tube | ☐ Time(s) ____/____ | |
| ☐ Pacing Device *(Specify)*: _____ | ☐ Time(s) ____/____ | |
| ☐ Implantable Defibrillator/Cardioverter | ☐ Time(s) ____/____ | |
| ☐ Other *(Specify)*: _____ | ☐ Time(s) ____/____ | |

PATIENT DISPOSITION FOLLOWING RESUSCITATION:
Expired @ 0402 hrs

PATIENT IDENTIFICATION *(For typed or written entries note: Name-last, first, middle initial; grade; DOB; hospital or medical facility)*

A14F1
0000291 20 00015 7066
HAMID/MASHADANI, ABID/ES
UNK M I DETAINEE

10. GLASGOW COMA SCALE: (Post-resuscitation)
Circle appropriate score for each parameter, then total score.

EYE OPENING
4 - Spontaneously
3 - To voice
2 - To pain
1 - No response

VERBAL RESPONSE
5 - Oriented, converses
4 - Disoriented, converses
3 - Inappropriate responses
2 - Incomprehensible sounds
1 - No response

MOTOR RESPONSE
6 - Obeys verbal commands
5 - Localizes painful stimulus
4 - Withdraws from pain stimulus
3 - Flexion, decorticate posturing
2 - Extension, decerebrate posturing
1 - No movement

SCORE: 3



ACLU DDII CID RDIS 39703
EXHIBIT 3
ACLU-RDI 5503 p.16 FOR OFFICIAL USE ONLY Law Enforcement Sensitive 0002

# CLINICAL RECORD - DOCTOR'S ORDERS

For use of this form, see AR 40-66, the proponent agency is OTSG

THE DOCTOR SHALL RECORD DATE, TIME AND SIGN EACH SET OF ORDERS. IF PROBLEM ORIENTED MEDICAL RECORD SYSTEM IS USED, WRITE PROBLEM NUMBER IN COLUMN INDICATED BY ARROW BELOW.

PATIENT IDENTIFICATION

0000291 20 OCT 05 7066
HAMID/KASHADAMI. ABID/ES
UNK M I DETAINEE

(b)(6)

NURSING UNIT | BED NO.

| DATE OF ORDER | TIME OF ORDER | LIST TIME ORDER NOTED AND SIGN |
|---|---|---|
| 1 Oct | 0045 HOURS | |
| AIAT | | |
| V Bicarb 2 amps IVP now | | |
| V Dopamine drip 5ug/kg/m titrate SBP >100 | | |
| V AC - 14 on vent | | |
| ABG + Bicarb | | |

PATIENT IDENTIFICATION

0000291 20 OCT 05 7066
HAMID/KASHADAMI. ABID/ES
UNK M I DETAINEE

NURSING UNIT | ROOM NO. | BED NO.

| DATE OF ORDER | TIME OF ORDER | LIST TIME ORDER NOTED AND SIGN |
|---|---|---|
| | HOURS | |
| AIAT - 4 units PRBC's | | noted 1 Oct 05 |
| - 4 amps (1 gm each) of Calcium Gluconate IV 15 minutes apart. | | |
| - 1L NSS WO x1 | | |
| V - Stop LR in any IV used for blood | | |

PATIENT IDENTIFICATION

NURSING UNIT | ROOM NO. | BED NO.

| DATE OF ORDER | TIME OF ORDER | LIST TIME ORDER NOTED AND SIGN |
|---|---|---|
| | HOURS | |

DA FORM 1 APR 79 4256 REPLACES EDITION OF 1 JUL 77, WHICH MAY BE USED.

☆U.S. GOVERNMENT PRINTING OFFICE 1984 461-710

NURSING UNIT | ROOM NO. | BED NO.

PATIENT IDENTIFICATION

0300291 20 OCT 05 0066
NAME KASHADA
UNIT K ICU

(b)(6)

✓ Vitals Q 1°
✓ Allergies unknown
✓ Diet NPO
✓ NGT to LIWS

DATE OF ORDER 19 Oct TIME OF ORDER 2400 HOURS

✓ Foley to DD
✓ JP to bulb suction.
✓ Strict I/O's
✓ Vent AC-10 Vt-800 FiO2-50%
✓ IV LR @ 200cc/hr
✓ CBC, Comp, Mg Phos, Ca
ABG on arrival + in am

NURSING UNIT | ROOM NO. | BED NO.

PATIENT IDENTIFICATION

DATE OF ORDER 19 Oct TIME OF ORDER HOURS

✓ IV Zantac 50mg Q 12°
✓ Zosyn 3g IVPB Q6°
Accu ✓ QID 4°
Sliding scale coverage
200-250 - 2 units, 251-300 4 units
301-350 - 6 units, 351-400 8 units
>400 10 units + call MD

NURSING UNIT | ROOM NO. | BED NO.

PATIENT IDENTIFICATION

DATE OF ORDER 19 Oct TIME OF ORDER HOURS

Fentanyl drip 50mcg/hr

NURSING UNIT | ROOM NO. | BED NO.

(b)(6)

DA FORM 1 APR 79 4256 REPLACES EDITION OF 1 JUL 77, WHICH MAY BE USED.

☆ U.S. GOVERNMENT PRINTING OFFICE 2003-300-391

"USE BALL POINT PEN–PRESS FIRMLY | NO CARBON PAPER REQUIRED"

ACLU DDII CID POI 39705

EXHIBIT 3

CLINICAL RECORD - DOCTOR'S ORDERS
For use of this form, see AR 40-66, the proponent agency is OTSG

THE DOCTOR SHALL RECORD DATE, TIME AND SIGN EACH SET OF ORDERS. IF PROBLEM ORIENTED MEDICAL RECORD SYSTEM IS USED, WRITE PROBLEM NUMBER IN COLUMN INDICATED BY ARROW BELOW.

PATIENT IDENTIFICATION DOCIS 7066
HAMIDO/MASHADANI, ABID/E
UNA M I DETAINEE

| DATE OF ORDER | TIME OF ORDER | LIST TIME ORDER NOTED AND SIGN |
|---|---|---|
| 1 OCT | 2400 HOURS | |
| V Admit ICU - Surgery | | |
| V Dx: Gunshot wound to abdomen | | |
| V Condition: ACLU-RDI 5503 p.18 | | |



EXHIBIT 3

SSN or ISN: 157066

LAST, FIRST, MI.

Physician: (b)(6) Ward: ETR

Drawn by: Bed:

Gender M or F (circle)

Stat or Routine (circle)

344 MED, ABU

LABORATORY RESULTS FORM

(Subject to Privacy Act of 1974)

Specimen Date and time: 9/30/05 1740

Signs and Symptoms:

Reported by: (b)(6)

Date and Time: 1834 30Sep05

Chemistry (i-STAT) / Green Top / Syringe: Bld Gas, Bld Gas w/ lytes, Glu, Crea

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | Na | | 138-145 mmol/L |
| | K | | 3.3-4.9 mmol/L |
| | Cl | | 98-109 mmol/L |
| | pH | | 7.35-7.45 |
| | PCO2 | | 35-45 mmHg |
| | PO2 | | 80-100 mmHg |
| | TCO2 | | 18-33 mmol/L |
| | HCO3 | | 22-26 mmol/L |
| | sO2 | | 95-99% |
| | BEecf | | (-2) - (+3) |
| | AGap | | 8-16 mmol/L |
| | iCa | | 1.12-1.32 mmol/L |
| | BUN | | 7-22 mg/dL |
| | Glu | | 73-118 mg/dL |
| | Creat | | 0.6-1.3 mg/dL |
| | Hct | | 37.0-52.0% |
| | Hgb | | 12.0-18.0 g/dL |
| | Lactate | | 0.90-1.70 mmol/L |

Urinalysis

| | | | |
|---|---|---|---|
| | Color | | Straw/Yellow |
| | Clarity | | Clear |
| | Glucose | | Negative |
| | Bilirubin | | Negative |
| | Ketone | | Negative |
| | SG | | 1.010-1.025 |
| | Blood | | Negative |
| | pH | | 5.0-8.0 |
| | Protein | | Negative-Trace |
| | Urobili | | 0.1-1.0 Ehrlich U/dL |
| | Nitrite | | Negative |
| | Leuko | | Negative |

Urine Microscopic

| | | | |
|---|---|---|---|
| | WBC | | Epi |
| | RBC | | Mucus |
| | Bacteria | | Yeast |
| | Casts: | | Spermatozoa |
| | Crystals: | | Amorph Sed |
| | Other: | | |

Other lab request:

BLOOD ACETEST (KETONES)= unable to read due to color interference

revised 31july05 mc

addm @ 1914

LIPASE = 82 23-300

Chemistry (Piccolo)/Green or Red/Liger Top: Comp Pan, BMP, Hepatic Pan, Lipid Pan, Renal Pan

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | ALB | 3.9 | 3.3-5.5 g/dL |
| | ALP | 362 H | 20-184 U/L |
| | ALT | 256 H | 10-47 U/L |
| X | AMY | 79 | 14-110 U/L |
| | AST | unable to read due to color interference | 11-38 U/L |
| | Tbil | | 0.2-1.6 mg/dL |
| | BUN | 65 H | 7-22 mg/dL |
| | Ca | 7.6 L | 8.0-10.3 mg/dL |
| | Chol | | 100-200 mg/dL |
| | CK | | M: 39-380 U/L F: 30-190 U/L |
| | CL | 97 L | 98-109 mmol/L |
| | TCO2 | 20 | 18-33 mmol/L |
| | Creat | 3.9 H | 0.6-1.3 mg/dL |
| | GGT | | 5-65 U/L |
| | Glu | 374 H | 73-118 mg/dL |
| | K | 4.2 | 3.3-4.9 mmol/L |
| | Mg | | 1.6-2.3 mg/dL |
| | Phosphorus | | 2.2-4.5 mg/dL |
| | TProtein | 8.1 | 6.4-8.1 g/dL |
| | Na | 126 L | 128-145 mmol/L |
| | HDL Chol | | 30-75 mg/dL |
| | LDL Chol | | 50-130 mg/dL |
| | Triglycerides | | 60-160 mg/dL |
| | VLDL | | ≤30 mg/dL |
| | Chol/HDL Ratio | | ≤4.5 |

Rapid Tests (Green Top)

| | | |
|---|---|---|
| Mono | | Negative |
| H.pylori IgG | | Negative |

Rapid Tests (SST or Red Top)

| | | |
|---|---|---|
| RPR | | Negative |
| HCG (or urine) | | Negative |

Rapid Tests

| | | |
|---|---|---|
| Strep A | | Negative |
| Drug Screen (urine) | | Negative |
| Chlamydia | | Negative |
| Flu A&B | | Negative |
| C. difficile (stool) | | Negative |
| O&P (stool) | | No Ova / Parasite |
| OccBld | | Negative |
| Wet Mount | | Negative |
| KOH | | Negative |

Hematology / Purple Top: CBCN (no diff), CBC, Malaria, H/H

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | WBC | 41.5 H | 4.8-10.8 x10(3)/uL |
| | RBC | 4.26 | 4.2-6.1 x10(6)/uL |
| | Hgb | 13.9 | 12.0-18.0 g/dL |
| | Hct | 38.9 | M: 42.0-52.0% |
| | | | F: 37-47% |
| | MCV | 91.5 | 80.0-99.0 fl |
| | MCH | 32.6 | H 27.0-31.0 pg |
| | MCHC | 35.6 | 33.0-37.0 g/dL |
| | Plt | 128 L | 130-400 x10(3)/uL |
| | LY% | 4.3 | L 20.0-44.0% |
| | LY# | 1.8 | 0.7-4.3 x10(3)/uL |

Differential

| | | | |
|---|---|---|---|
| Segs(50-70%) | 73 H | Mono(4-10%) | 2 L |
| Bands(1-10%) | 9 | Eos(0-4%) | 1 |
| Lymph(20-44%) | 1 L | Baso(0-2%) | 1 Hypo 1 Blast |
| Atyp Ly | | Immature cells | |

RBC Abn Morph: 2+ micro, 2+ anisc, 2+ spher.

Plt Abn Morph:

WBC Abn Morph: 11 Myelo 4 Blasts

Malaria / Purple Top

| | | |
|---|---|---|
| Thin | | No Plasmodium Seen |
| Thick | | No Plasmodium Seen |

Sed Rate / Purple Top

| | | |
|---|---|---|
| Sed Rate | | 1hr = 0-20 mm |

Coagulation (Blue Top - Sodium Citrate)

| | | |
|---|---|---|
| PT | | 7.0-14.0 sec |
| APTT | | 21.0-50.0 sec |
| INR | | 0.5-1.5/therap 2-3 |
| D Dimer | | Negative |

Cardiac Panel / Purple Top

| | | |
|---|---|---|
| Myoglobin | | 0-107 ng/mL |
| CK-MB | | 0-4.3 ng/mL |
| Troponin | | 0.0-0.4 ng/mL |

Hemoglobin S (sickle) / Purple Top

| | |
|---|---|
| Hemoglobin S | Negative |

Body Fluid Panel - Sterile Cont.

Panel Includes: Culture, Gram Stain, Cell Count, WBC Diff., Meningitis test (CSF only)

reviewed by:

ACLU DDII CID ROIS 39707

EXHIBIT 3

ACLU-RDI 5503 p.20 FOR OFFICIAL USE ONLY Law Enforcement Sensitive

SSN or ISN:

LAST, FIRST, MI: 20 00015 7066 A141
H, ID/HASHADANI, ABID/ES

Physician: M I DEPAINEE Ward:
Drawn by: Bed:
Gender M or F (circle)
Stat or Routine (circle)

TF 344 MED, ABU
LABORATORY RESULTS FORM
(Subject to Privacy Act of 1974)

Specimen Date and time: 30SOCT01 1120

Signs and Symptoms:

Reported by: (b)(6)

Date and Time: 30Oct2005

Chemistry (STAT) / Green Top / Syringe
Bld Gas / Bld Gas w/ Hes Glu Crea

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | Na | | 138-145 mmol/L |
| | K | | 3.3-4.9 mmol/L |
| | Cl | | 98-109 mmol/L |
| | pH * | 7.09 (L) | 7.35-7.45 |
| | PCO2 | 45.9 (H) | 35-45 mmHg |
| | PO2 | 122 (H) | 80-100 mmHg |
| | TCO2 | 15 (L) | 18-33 mmol/L |
| | HCO3 | 14.1 (L) | 22-26 mmol/L |
| | sO2 | 97 | 95-99% |
| | BEecf | -16 (L) | (-2) - (+3) |
| | AGap | | 8-16 mmol/L |
| | iCa | | 1.12-1.32 mmol/L |
| | BUN | | 7-22 mg/dL |
| | Glu | | 73-118 mg/dL |
| | Creat | | 0.6-1.3 mg/dL |
| | Hct | | 37.0-52.0% |
| | Hgb | | 12.0-18.0 g/dL |
| | Lactate | | 0.90-1.70 mmol/L |

* Panic value reported to (b)(6)

Urinalysis

| | | | |
|---|---|---|---|
| | Color | | Straw/Yellow |
| | Clarity | | Clear |
| | Glucose | | Negative |
| | Bilirubin | | Negative |
| | Ketone | | Negative |
| | SG | | 1.010-1.025 |
| | Blood | | Negative |
| | pH | | 5.0-8.0 |
| | Protein | | Negative-Trace |
| | Urobili | | 0.1-1.0 Ehrlich U/dL |
| | Nitrite | | Negative |
| | Leuko | | Negative |

Urine Microscopic

| | | | |
|---|---|---|---|
| | WBC | | Epi |
| | RBC | | Mucus |
| | Bacteria | | Yeast |
| | Casts: | | Spermatozoa |
| | Crystals: | | Amorph Sed |
| | Other: | | |

Other lab request

Chemistry (Piccolo) / Green or red/tiger top
CompPan BMP HepaticPan LipidPan RenalPan

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | ALB | | 3.3-5.5 g/dL |
| | ALP | | 26-184 U/L |
| | ALT | | 10-47 U/L |
| | AMY | | 14-110 U/L |
| | AST | | 11-38 U/L |
| | Tbil | | 0.2-1.6 mg/dL |
| | BUN | | 7-22 mg/dL |
| | Ca | | 8.0-10.3 mg/dL |
| | Chol | | 100-200 mg/dL |
| | CK | | M: 39-380 U/L F: 30-190 U/L |
| | CL | | 98-109 mmol/L |
| | TCO2 | | 18-33 mmol/L |
| | Creat | | 0.6-1.3 mg/dL |
| | GGT | | 5-65 U/L |
| | Glu | | 73-118 mg/dL |
| | K | | 3.3-4.9 mmol/L |
| | Mg | | 1.6-2.3 mg/dL |
| | Phosphorus | | 2.2-4.5 mg/dL |
| | TProtein | | 6.4-8.1 g/dL |
| | Na | | 128-145 mmol/L |
| | HDL Chol | | 30-75 mg/dL |
| | LDL Chol | | 50-130 mg/dL |
| | Triglycerides | | 60-160 mg/dL |
| | VLDL | | ≤30 mg/dL |
| | Chol/HDL Ratio | | ≤4.5 |

Rapid Tests (Green Top)

| | | | |
|---|---|---|---|
| | Mono | | Negative |
| | H.pylori IgG | | Negative |

Rapid Tests (SST or Red Top)

| | | | |
|---|---|---|---|
| | RPR | | Negative |
| | HCG (or urine) | | Negative |

Rapid Tests

| | | | |
|---|---|---|---|
| | Strep A | | Negative |
| | Drug Screen (urine) | | Negative |
| | Chlamydia | | Negative |
| | Flu A&B | | Negative |
| | C. difficile (stool) | | Negative |
| | O&P (stool) | | No Ova / Parasite |
| | OccBld | | Negative |
| | Wet Mount | | Negative |
| | KOH | | Negative |

Hematology / Purple Top
CBCN (no diff) CBC Malaria H/H

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | WBC | | 4.8-10.8 x10(3)/uL |
| | RBC | | 4.2-6.1 x10(6)/uL |
| | Hgb | | 12.0-18.0 g/dL |
| | Hct | | M: 42.0-52.0% |
| | | | F: 37-47% |
| | MCV | | 80.0-99.0 fl |
| | MCH | | 27.0-31.0 pg |
| | MCHC | | 33.0-37.0 g/dL |
| | Plt | | 130-400 x10(3)/uL |
| | LY% | | 20.0-44.0% |
| | LY# | | 0.7-4.3 x10(3)/uL |

Differential

| | |
|---|---|
| Segs(50-70%) | Mono(4-10%) |
| Bands(1-10%) | Eos(0-4%) |
| Lymph(20-44%) | Baso(0-2%) |
| Atyp Ly | Immature cells |

RBC Abn Morph:

Plt Abn Morph:

WBC Abn Morph:

Malaria / Purple Top

| | | |
|---|---|---|
| Thin | | No Plasmodium Seen |
| Thick | | No Plasmodium Seen |

Sed Rate / Purple Top

| | | |
|---|---|---|
| Sed Rate | | 1hr = 0-20 mm |

Coagulation (Blue Top - Sodium Citrate)

| | | |
|---|---|---|
| PT | | 7.0-14.0 sec |
| APTT | | 21.0-50.0 sec |
| INR | | 0.5-1.5/therap 2-3 |
| D Dimer | | Negative |

Cardiac Panel/Purple Top

| | | |
|---|---|---|
| Myoglobin | | 0-107 ng/mL |
| CK-MB | | 0-4.3 ng/mL |
| Troponin | | 0.0-0.4 ng/mL |

Hemoglobin S (sickle) / Purple Top

| | |
|---|---|
| Hemoglobin S | Negative |

Body Fluid Panel - Sterile Cont

Panel Includes: Culture, Gram Stain, Cell Count, WBC Diff., Meningitis test (CSF only)

revised 31july05 mc

ACLU DDII CID ROIS 39708



EXHIBIT 3

0146-05-CID789-39276

[redacted]E 344 MED, ABU

SSN or ISN: 1570666

LABOF [redacted]ORY RESULTS FORM
(Subject to Privacy Act of 1974)

LAST, FIRST, MI: Hamid/Mashadani, Abid

Physicia (b)(6) Ward: OR Gende M or F (circle)
Drawn by: Bed: Stat or Routine (circle)

Specimen Date and time: Sept 30 2005 2305

Signs and Symptoms: Dyspnea

Reported by: (b)(6)

Date and Time: 9/30/05 2330

**Chemistry (i-STAT) / Green Top / Syringe**
Bld Gas, Bld Gas w/ lytes, Glu, Crea

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | Na | | 138-146 mmol/L |
| | K | | 3.5-4.9 mmol/L |
| | Cl | | 98-109 mmol/L |
| X | pH C | 7.18 L | 7.35-7.45 |
| X | PCO2 | 25.1 L | 35-45 mmHg |
| X | PO2 | 63 L | 80-105 mmHg |
| X | TCO2 C | 10 L | 23-27 mmol/L |
| X | HCO3 C | 9.4 L | 22-26 mmol/L |
| X | sO2 | 86 L | 95-98% |
| X | BEecf | -19 L | (-2)-(+3) mmol/L |
| X | AGap | N/A | 8-16 mmol/L |
| | iCa | | 1.12-1.32 mmol/L |
| | BUN | | 7-22 mg/dL |
| | Glu | | 73-118 mg/dL |
| | Creat | | 0.6-1.2 mg/dL |
| | Hct | | 38.0-51.0% |
| | Hgb | | 12.0-18.0 g/dL |
| | Lactate | | 0.90-1.70 mmol/L |

Critical given to (b)(6) 9/30 2330

**Urinalysis**

| | | | |
|---|---|---|---|
| | Color | | Straw/Yellow |
| | Clarity | | Clear |
| | Glucose | | Negative |
| | Bilirubin | | Negative |
| | Ketone | | Negative |
| | SG | | 1.010-1.025 |
| | Blood | | Negative |
| | pH | | 5.0-8.0 |
| | Protein | | Negative-Trace |
| | Urobili | | 0.1-1.0 Ehrlich U/dL |
| | Nitrite | | Negative |
| | Leuko | | Negative |

Urine Microscopic

| | | | |
|---|---|---|---|
| | WBC | | Epi |
| | RBC | | Mucus |
| | Bacteria | | Yeast |
| | Casts: | | Spermatozoa |
| | Crystals: | | Amorph Sed |
| | Other: | | |

Other lab request

**Chemistry (Piccolo) / Green or red/tiger top**
Comp Pan, BMP, Hepatic Pan, Lipid Pan, Renal Pan

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | ALB | | 3.3-5.5 g/dL |
| | ALP | | M: 53-128 U/L F: 42-141 U/L |
| | ALT | | 10-47 U/L |
| | AMY | | 14-110 U/L |
| | AST | | 16-55 U/L |
| | | | |
| | Indirect bil (Bu) | | 0-1.1 mg/dL |
| | Dbil (Bc) | | 0-0.3 mg/dL |
| | Tbil | | 0.2-1.6 mg/dL |
| | BUN | | 7-22 mg/dL |
| | Ca | | 8.0-10.3 mg/dL |
| | Chol | | 100-200 mg/dL |
| | CK | | M: 39-380 U/L F: 30-190 U/L |
| | Cl | | 98-108 mmol/L |
| | TCO2 | | 18-33 mmol/L |
| | Crea | | 0.6-1.2 mg/dL |
| | GGT | | 5-65 U/L |
| | Glu | | 73-118 mg/dL |
| | K | | 3.3-4.7 mmol/L |
| | Mg | | 1.6-2.3 mg/dL |
| | Phosphorus | | 2.2-4.4 mg/dL |
| | Tot. Protein | | 6.4-8.1 g/dL |
| | Na | | 128-145 mmol/L |
| | HDL Chol | | 40-75 mg/dL |
| | LDL Chol | | 50-129 mg/dL |
| | Triglycerides | | 60-149 mg/dL |
| | VLDL | | <30 mg/dL |
| | Chol/HDL Ratio | | ≤ 5 |

**Serology / Green Top**

| | | |
|---|---|---|
| | RPR | Negative |
| | HCG (or urine) | Negative |

**Rapid Tests**

| | | |
|---|---|---|
| | Strep A | Negative |
| | Drug Screen (urine) | Negative |
| | Chlamydia | Negative |
| | Flu A&B | Negative |
| | C. difficile (stool) | Negative |
| | O&P (stool) | No Ova / Parasite |
| | OccBld | Negative |
| | Wet Mount | Negative |
| | KOH | Negative |

**Hematology / Purple Top**
CBCN (no diff), CBC, Malaria, H/H

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | WBC | | 4.8-10.8 x10(3)/uL |
| | RBC | | 4.2-6.1 x10(6)/uL |
| | Hgb | | 12.0-18.0 g/dL |
| | Hct | | M: 42.0-52.0% |
| | | | F: 37-47% |
| | MCV | | 80.0-99.0 fl |
| | MCH | | 27.0-31.0 pg |
| | MCHC | | 33.0-37.0 g/dL |
| | Plt | | 130-400 x10(3)/uL |
| | LY% | | 20.0-44.0% |
| | LY# | | 0.7-4.3 x10(3)/uL |

Differential

| | |
|---|---|
| Segs(50-70%) | Mono(4-10%) |
| Bands(1-10%) | Eos(0-4%) |
| Lymph(20-44%) | Baso(0-2%) |
| Atyp Ly | Immature cells |

RBC Abn Morph:

Plt Abn Morph:

WBC Abn Morph:

**Malaria / Purple Top**

| | | |
|---|---|---|
| Thin | | No Plasmodium Seen |
| Thick | | No Plasmodium Seen |

**Sed Rate / Purple Top**

| | | |
|---|---|---|
| Sed Rate | | 1hr = 0-20 mm |

**Coagulation (Blue Top - Sodium Citrate)**

| | | |
|---|---|---|
| PT | | 7.0-14.0 sec |
| APTT | | 21.0-50.0 sec |
| INR | | 0.5-1.5/therap 2-3 |
| D Dimer | | Negative |

**Cardiac Panel / Purple Top**

| | | |
|---|---|---|
| Myoglobin | | 0-107 ng/mL |
| CK-MB | | 0-4.3 ng/mL |
| Troponin | | 0.0-0.4 ng/mL |

**Hemoglobin S (sickle) / Purple Top**

| | |
|---|---|
| Hemoglobin S | Negative |

**Rapid Tests (Green Top)**

| | | |
|---|---|---|
| Mono | | Negative |
| H.pylori IgG | | Negative |

revised 31Aug05 mc

reviewed by:

SSN or ISN: 157066

LAST, FIRST, MI.

Physician: (b)(6) Ward: ETR

Drawn by: Bed:

Gender M or F (circle)

Stat or Routine (circle)

344 MED, ABU

LABORATORY RESULTS FORM

(Subject to Privacy Act of 1974)

Specimen Date and time: 30 Sep 04 2045

Signs and Symptoms: Hyperglycemic c. (b)(6)

Reported by:

Date and Time: 9/30/04 @ 2110

**Chemistry (i-STAT) / Green Top / Syringe** — Bld Gas, Bld Gas w/ lytes, Glu, Crea

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | Na | | 138-145 mmol/L |
| | K | | 3.3-4.9 mmol/L |
| | Cl | | 98-109 mmol/L |
| | pH * | 7.19 (L) | 7.35-7.45 |
| | PCO2 | 42.5 | 35-45 mmHg |
| | PO2 * | 172 (H) | 80-100 mmHg |
| | TCO2 * | 18 | 18-33 mmol/L |
| | HCO3 | 16.2 (L) | 22-26 mmol/L |
| | sO2 | 17 (L) | 95-99% |
| | BEecf | -12 (L) | (-2) - (+3) |
| | AGap | | 8-16 mmol/L |
| | iCa | | 1.12-1.32 mmol/L |
| | BUN | | 7-22 mg/dL |
| | Glu | | 73-118 mg/dL |
| | Creat | | 0.6-1.3 mg/dL |
| | Hct | | 37.0-52.0% |
| | Hgb | | 12.0-18.0 g/dL |
| | Lactate @2110 | | 0.90-1.70 mmol/L |

Panic values reported to (b)(6)

**Urinalysis**

| | | |
|---|---|---|
| Color | | Straw/Yellow |
| Clarity | | Clear |
| Glucose | | Negative |
| Bilirubin | | Negative |
| Ketone | | Negative |
| SG | | 1.010-1.025 |
| Blood | | Negative |
| pH | | 5.0-8.0 |
| Protein | | Negative-Trace |
| Urobili | | 0.1-1.0 Ehrlich U/dL |
| Nitrite | | Negative |
| Leuko | | Negative |

**Urine Microscopic**

| | | |
|---|---|---|
| WBC | | Epi |
| RBC | | Mucus |
| Bacteria | | Yeast |
| Casts: | | Spermatozoa |
| Crystals: | | Amorph Sed |
| Other: | | |

Other lab request:

**Chemistry (Piccolo) / Green or red/tiger top** — Comp Pan, BMP, Hepatic Pan, Lipid Pan, Renal Pan

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | ALB | | 3.3-5.5 g/dL |
| | ALP | | 20-164 U/L |
| | ALT | | 10-47 U/L |
| | AMY | | 14-110 U/L |
| | AST | | 11-38 U/L |
| | Tbil | | 0.2-1.6 mg/dL |
| | BUN | | 7-22 mg/dL |
| | Ca | | 8.0-10.3 mg/dL |
| | Chol | | 100-200 mg/dL |
| | CK | | M: 39-380 U/L F: 30-190 U/L |
| | CL | | 98-109 mmol/L |
| | TCO2 | | 18-33 mmol/L |
| | Creat | | 0.6-1.3 mg/dL |
| | GGT | | 5-85 U/L |
| | Glu | | 73-118 mg/dL |
| | K | | 3.3-4.9 mmol/L |
| | Mg | | 1.6-2.3 mg/dL |
| | Phosphorus | | 2.2-4.5 mg/dL |
| | TProtein | | 6.4-8.1 g/dL |
| | Na | | 128-145 mmol/L |
| | HDL Chol | | 30-75 mg/dL |
| | LDL Chol | | 50-130 mg/dL |
| | Triglycerides | | 60-160 mg/dL |
| | VLDL | | ≤30 mg/dL |
| | Chol/HDL Ratio | | ≤4.6 |

**Rapid Tests (Green Top)**

| | | |
|---|---|---|
| Mono | | Negative |
| H.pylori IgG | | Negative |

**Rapid Tests (SST or Red Top)**

| | | |
|---|---|---|
| RPR | | Negative |
| HCG (or urine) | | Negative |

**Rapid Tests**

| | | |
|---|---|---|
| Strep A | | Negative |
| Drug Screen (urine) | | Negative |
| Chlamydia | | Negative |
| Flu A&B | | Negative |
| C. difficile (stool) | | Negative |
| O&P (stool) | | No Ova / Parasite |
| OccBld | | Negative |
| Wet Mount | | Negative |
| KOH | | Negative |

**Hematology / Purple Top** — CBCN (no diff), CBC, Malaria, H/H

| X | TEST | RESULT | REF. RANGE |
|---|---|---|---|
| | WBC | | 4.8-10.8 x10(3)/uL |
| | RBC | | 4.2-6.1 x10(6)/uL |
| | Hgb | | 12.0-18.0 g/dL |
| | Hct | | M: 42.0-52.0% |
| | | | F: 37-47% |
| | MCV | | 80.0-99.0 fl |
| | MCH | | 27.0-31.0 pg |
| | MCHC | | 33.0-37.0 g/dL |
| | Plt | | 130-400 x10(3)/uL |
| | LY% | | 20.0-44.0% |
| | LY# | | 0.7-4.3 x10(3)/uL |

**Differential**

| | |
|---|---|
| Segs(50-70%) | Mono(4-10%) |
| Bands(1-10%) | Eos(0-4%) |
| Lymph(20-44%) | Baso(0-2%) |
| Atyp Ly | Immature cells |

RBC Abn Morph:

Plt Abn Morph:

WBC Abn Morph:

**Malaria / Purple Top**

| | | |
|---|---|---|
| Thin | | No Plasmodium Seen |
| Thick | | No Plasmodium Seen |

**Sed Rate / Purple Top**

| | | |
|---|---|---|
| Sed Rate | | 1hr = 0-20 mm |

**Coagulation (Blue Top - Sodium Citrate)**

| | | |
|---|---|---|
| PT | | 7.0-14.0 sec |
| APTT | | 21.0-50.0 sec |
| INR | | 0.5-1.5/therap 2-3 |
| D Dimer | | Negative |

**Cardiac Panel/Purple Top**

| | | |
|---|---|---|
| Myoglobin | | 0-107 ng/mL |
| CK-MB | | 0-4.3 ng/mL |
| Troponin | | 0.0-0.4 ng/mL |

**Hemoglobin S (sickle)/Purple Top**

| | |
|---|---|
| Hemoglobin S | Negative |

**Body Fluid Panel - Sterile Cont**

Panel includes: Culture, Gram Stain, Cell Count, WBC Diff., Meningitis test (CSF only)

revised 31july05.mc

reviewed by:

| CLINICAL RECORD | THERAPEUTIC DOCUMENTATION CARE PLAN *(MEDICATIONS)* For use of this form, see AR 40-66; the proponent agency is the Office of The Surgeon General. | Mo. ___ Yr. ___ |
|---|---|---|

*VERIFY BY INITIALING* — *INITIAL PROPER COLUMN FOLLOWING EACH ADMINISTRATION.*

| ORDER DATE | CLERK/ NURSE | RECURRING MEDICATIONS, DOSE, FREQUENCY | HR | DATE DISPENSED 30 | 1 | 2 | 3 | 4 |
|---|---|---|---|---|---|---|---|---|
| 10/1 | (b)(6) | Zosyn 3g IVPB | 06 | / | | | | |
| | | | 12 | / | | | | |
| | | | 18 | / | | | | |
| | | | 24 | (b)(6) | | | | |
| | | | | | | | | |
| 10/1 | (b)(6) | Tylenol elix 650mg/15 | 07 | / | | | | |
| | | | 19 | (b)(6) | | | | |
| 10/1 | (b)(6) | Dopamine drip 5mg/kg/min Titrate SBP >105 | 07 | / | | | | |
| | | | 19 | (b)(6) | | | | |

RECURRING MEDICATIONS

ALLERGIES: ☐ YES ☐ NO

PRIMARY DIAGNOSIS:

ADDITIONAL PAGES IN USE: ☐ YES ☐ NO

PAGE NO. ___

PATIENT IDENTIFICATION:

A14F1
0000291 20 00015 7066
HAMID/MASHADANI, ABID/ES
UNK M I DETAINEE

DISPENSING TIMES

USE PENCIL. CIRCLE MED TIMES

D 7 8 9 10 11 12 13 14

E 15 16 17 18 19 20 21 22

N 23 24 01 02 03 04 05 06

DA FORM 4678, 1 FEB 79 EDITION OF 1 DEC 77 WILL BE USED UNTIL EXHAUSTED. USAPA V1.01 PAGE 1 OF 2

EXHIBIT

ACLU DDII CID 039711

| CLINICAL RECORD | THERAPEUTIC DOCUMENTATION CARE PLAN (*MEDICATIONS*) For use of this form, see AR 40-66; the proponent agency is the Office of The Surgeon General. | Mo. ___ Yr. ___ |
|---|---|---|

*VERIFY BY INITIALING* — *INITIAL PROPER COLUMN FOLLOWING EACH ADMINISTRATION*

| ORDER DATE | CLERK/ NURSE | RECURRING MEDICATIONS, DOSE, FREQUENCY | HR | DATE DISPENSED 30 | 1 | 2 | 3 | 4 |
|---|---|---|---|---|---|---|---|---|
| 10/1 | (b)(6) | Accu-Chek Q 4° | 04 | ✓ | | | | |
| | | Sliding Scale Coverage | Am | ✓ | | | | |
| | | 200 - 250 = 2 units | [illegible] | ✓ | | | | |
| | | 251 - 300 4 units | 08 | ✓ | | | | |
| | | 301 - 350 - 6 units | [illegible] | ✓ | | | | |
| | | 351 - 400 8 units | [illegible] | ✓ | | | | |
| | | > 400 10 units | 12 | ✓ | | | | |
| | | + Call MD | [illegible] | ✓ | | | | |
| | | | [illegible] | ✓ | | | | |
| | | | 16 | ✓ | | | | |
| | | | [illegible] | ✓ | | | | |
| | | | [illegible] | ✓ | | | | |
| | | | 20 | ✓ | | | | |
| | | | [illegible] | ✓ | | | | |
| | | | [illegible] | ✓ | | | | |
| | | | 24 | | | | | |
| | | | [illegible] | | | | | |
| | | | [illegible] | | | | | |
| 10/1 | [illegible] | LR @ 200 hr | 07 | ✓ | | | | |
| | | | 19 | (b)(6) | | | | |
| 10/11 | [illegible] | ZANTAC 50 mg q R° | 02 | (b)(6) | | | | |
| | | | 22 | | | | | |

| ALLERGIES: ☐ YES ☐ NO | PRIMARY DIAGNOSIS: | ADDITIONAL PAGES IN USE: ☐ YES ☐ NO PAGE NO. ___ |
|---|---|---|

A14F1

PATIENT IDENTIFICATION
1062910200015 7066
HAMID/MASHADANI, ABID/ES
UNK M I DETAINEE

DISPENSING TIMES

USE PENCIL. CIRCLE MED TIMES

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| D | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| E | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| N | 23 | 24 | 01 | 02 | 03 | 04 | 05 | 06 |

DA FORM 4678, 1 FEB 79 EDITION OF 1 DEC 77 WILL BE USED UNTIL EXHAUSTED. USAPA V1.01 PAGE 1 OF 2

EXHIBIT 3

Exhibit(s) 7 and 8

Page(s) 000096 thru 000102 referred to:

CDR U.S. Army Medical Command
Freedom of Information/Privacy Act Office
ATTN: MCFP Bldg 126 Stop 76
1216 Stanley Road 2nd Floor
Fort Sam Houston, TX 78234-5049



ACLU DDII CID ROIS 39779

0146-05-CID789-39276

**ARMED FORCES INSTITUTE OF PATHOLOGY**
**Office of the Armed Forces Medical Examiner**
1413 Research Blvd., Bldg. 102
Rockville, MD 20850
(b)(6)

# AUTOPSY EXAMINATION REPORT

Name: Hamad-Mashadani, Abid-Es
ISN #: US9IZ-157066C1
Date of Birth: Unknown
Date of Death: 01 OCT 2005
Date of Autopsy: 07 OCT 2005
Date of Report: 29 MAR 2006

Autopsy No.: ME(b)(6)
AFIP No.:(b)(6)
Rank: Civilian
Place of Death: 344Th Field Hospital, Iraq
Place of Autopsy: Port Mortuary
Dover AFB, Dover, DE

**Circumstances of Death:** The decedent was a civilian detainee who was transferred to the 344th Field Hospital from a detention facility where he had been complaining of abdominal pain, diarrhea and vomiting. Upon arrival he was noted to have a markedly elevated white blood cell count (41.5 x $10^3$), elevated blood sugar (440mg/dl) and elevated liver function tests. He was taken to the operating room where an exploratory laparotomy and cholecystectomy was performed for gangrenous cholecystitis. Post-operatively his condition worsened and he became unresponsive to resuscitative attempts.

**Authorization for Autopsy:** Armed Forces Medical Examiner, per 10 U.S. Code 1471

**Identification:** Identification is established by identification tags present on the body

**CAUSE OF DEATH: Complications of acute gangrenous cholecystitis**

**MANNER OF DEATH: Natural**

## FINAL AUTOPSY DIAGNOSES

I. Acute gangrenous cholecystitis (per report).
   A. Status post exploratory laparotomy with cholecystectomy.

II. Respiratory system:
   A. Bilateral pulmonary congestion and edema (right 830 gm, left 720 gm)
   B. Bilateral pleural effusions (right 120 ml, left 180 ml)
   C. Scattered fibrin micro-thrombi

III. No evidence of trauma

IV. Moderate decompositonal changes consisting of green discoloration of the abdomen and vascular marbling

V. Toxicology: Metoclopramide is present in the blood.

**FOR OFFICIAL USE ONLY** and may be exempt from mandatory disclosure under FOIA. DoD 5400.7R, "DoD Freedom of Information Act Program", DoD Directive 5230.9, "Clearance of DoD Information for Public Release", and DoD Instruction 5230.29, "Security and Policy Review of DoD Information for Public Release" apply.

FOR OFFICIAL USE ONLY
LAW ENFORCEMENT SENSITIVE

ACLU-RDI 5503 p.27

ACLU DDI EOD ROIS 39780
0 0096

EXHIBIT 7

0146-05-cv789-39276



## EXTERNAL EXAMINATION

The remains are received unclad. An identification bracelet containing the decedent's name and detainee number is on the right wrist. The body is accompanied by clothing consisting of a white undershirt, a pair of green knit shorts, a pair of yellow slacks and a pair of blue shower shoes.

The body is that of a well-developed, well-nourished appearing, male that weighs 189-pounds, is 67-inches in length, whose appearance is consistent with the reported age of 60 years. Lividity is fixed on the posterior surface of the body except in areas exposed to pressure. Rigor has passed. The temperature of the body is that of the refrigeration unit.

The scalp is covered with 1-1/4" wavy grey-black hair with male pattern balding. The head and neck are moderately congested. The face is covered with a short black-grey beard and moustache. The eyelids are closed with 2-1/4 x 1/2" surgical tape. The corneae are hazy. The irides are dark and the pupils are round and equal in diameter. The external auditory canals are free of abnormal secretions and foreign material. The ears are unremarkable. The nares are patent and the lips are atraumatic. The nose and maxillae are palpably stable. The teeth are in poor condition with a number of teeth remotely absent.

The neck is mobile and the trachea is midline. There are multiple acrochordons on the right side of the neck, 1/16-1/8" in greatest dimension. The chest is symmetric. The abdomen is protuberant. The genitalia are those of a normal adult, circumcised, male. The testes are descended and free of masses. Pubic hair is present in a normal distribution. The buttocks and anus are unremarkable. Evidence of medical intervention is described below.

The upper and lower extremities are symmetric and without clubbing or edema. There is a 1-1/2 x 1/4" irregular, hypopigmented scar with a 2" vertical linear extension at the 12 o'clock position on the lateral right knee. There is a 1" raised callus over the right lateral malleolus. On the volar surface of the left forearm is a 2 ¼ x 1", blue tattoo depicting unknown symbols.

## MEDICAL INTERVENTION

- An endotracheal tube appropriately placed
- An intravascular catheter in the right antecubital fossa, secured with a clear occlusive dressing, with "9/30 #20" written above the device
- A 2" area of ecchymosis on the distal, volar surface of the right wrist with 3 venipuncture marks
- A 1-1/4" area of ecchymosis on the dorsum of the right hand
- A 2 x 2" gauze dressing in the left antecubital fossa
- Secured with sutures are a triple lumen catheter in the left groin and an intravascular catheter in the right groin
- A 4 x 4" gauze dressing overlying a Jackson-Pratt drain in the right abdominal wall with 26" of 1/4" diameter tubing attached to a reservoir containing 40-milliliters of blood
- A 12 x 4" gauze covering a midline abdominal incision

FOR OFFICIAL USE ONLY
LAW ENFORCEMENT SENSITIVE
ACLU DDI CJDROIS 39781
EXHIBIT 0000977
ACLU-RDI 5503 p.28

0146-05-CV-787-39276



- A vertically oriented 10 x 1"incision, 7/8" in depth and packed with gauze, overlying a sutured abdominal incision that extends from the xiphoid process to 2" below and to the left of the umbilicus

## RADIOGRAPHS

A complete set of postmortem radiographs is obtained and demonstrates the previously described medical interventions. There is no evidence of recent trauma.

## EVIDENCE OF INJURY

There is no evidence of significant recent injury noted at the time of autopsy.

## INTERNAL EXAMINATION

BODY CAVITIES:

The sternum is visibly and palpably intact. No excess fluid is present in the pericardium. There are bilateral serous, pleural effusions (right - 120-milliliters, left - 180-milliliters). Scattered adhesions involve the left lung and the chest wall. There is 300-milliliters of blood and clot in the right upper quadrant of the abdominal cavity. The gallbladder is surgically absent. The remaining organs occupy their usual anatomic positions.

HEAD:
The galeal and subgaleal soft tissues of the scalp are free of injury. The calvarium is intact, as is the dura mater beneath it. Markings on the internal table of the calvarium for the right middle meningeal artery are more pronounced on the right side. Clear cerebrospinal fluid surrounds the 1370 gm brain, which has unremarkable gyri and sulci. Coronal sections demonstrate sharp demarcation between white and grey matter, without hemorrhage or contusive injury. The ventricles are of normal size. The basal ganglia, brainstem, cerebellum, and arterial systems are free of injury or other abnormalities. There are no skull fractures. The atlanto-occipital joint is stable.

NECK:
The anterior strap muscles of the neck are homogenous and red-brown, without hemorrhage. The thyroid cartilage and hyoid are intact. The larynx is lined by intact white mucosa. The thyroid is symmetric and red-brown, without cystic or nodular change. The tongue is free of bite marks, hemorrhage, or other injuries.

RESPIRATORY SYSTEM:
The right and left lungs weigh 830 and 720 grams, respectively. The external surfaces are smooth and deep red-purple. The pulmonary parenchyma is diffusely congested and edematous. No mass lesions or areas of consolidation are present.

CARDIOVASCULAR SYSTEM:
The 390-gram heart is contained in an intact pericardial sac. The epicardial surface is smooth, with minimal fat investment. The coronary arteries are present in a normal distribution, with a right-dominant pattern. There is mild atherosclerotic streaking at the ostia for the right coronary artery and the left anterior descending artery. Cross sections of the vessels show no evidence of significant



ACLU DDII EXHIBIT 39782 7
ACLU-RDI 5503 p.29

atherosclerosis or thrombosis. The myocardium is homogenous, red-brown, and firm. The valve leaflets are thin and mobile. The walls of the left and right ventricles are 1.1and 0.2-centimeters thick, respectively. The endocardium is smooth and glistening. The aorta gives rise to three intact and patent arch vessels. The renal and mesenteric vessels are unremarkable.

LIVER & BILIARY SYSTEM:
The 1880-gram liver has an intact, smooth capsule and a sharp anterior border. There is a 5-centimeter laceration of the lateral right lobe of the liver, without vital reaction. In the region of the gallbladder fossa is a 9 x 6-centimeter friable, hemorrhagic area with an intact surgical drain. The gallbladder had been previously sent for surgical pathology consultation following the patient's cholecystectomy. A diagnosis of acute gangrenous cholecystitis is made by the consulting pathologist. The remaining, non-surgical parenchyma is tan-brown and congested, with the usual lobular architecture. No mass lesions or other abnormalities are seen. The extrahepatic biliary tree is patent.

SPLEEN:
The 280-gram spleen has a smooth, intact, red-purple capsule. The parenchyma is maroon and congested, with distinct Malpighian corpuscles.

PANCREAS:
The pancreas is firm and yellow-tan, with the usual lobular architecture. Fatty infiltrate is noted throughout the pancreas. No mass lesions or other abnormalities are seen.

ADRENALS:
The right and left adrenal glands are symmetric, with bright yellow cortices and grey medullae. No masses are identified.

GENITOURINARY SYSTEM:
The right and left kidneys each weigh 80-grams. The external surfaces are intact and smooth. There is a 0.4-centimeter, benign cortical cyst on the superior pole of the left kidney. The cut surfaces are red-tan and congested, with uniformly thick cortices and sharp corticomedullary junctions. The pelves are unremarkable and the ureters are normal in course and caliber. White bladder mucosa overlies an intact bladder wall. The bladder contains no urine. The prostate is normal in size, with lobular, yellow-tan parenchyma. The seminal vesicles are unremarkable. The testes are free of mass lesions, contusions, or other abnormalities.

GASTROINTESTINAL TRACT:
The esophagus is intact and lined by smooth, grey-white mucosa. The stomach contains approximately 50-milliliters of dark brown, flocculant liquid. The gastric wall is intact. The duodenum, loops of small bowel, and colon are unremarkable. The appendix is present.

## ADDITIONAL PROCEDURES

1. Documentary photographs are taken by the OAFME staff photographer.
2. Specimens retained for toxicologic testing and/or DNA identification are: vitreous, blood, gastric contents, spleen, liver, lung, kidney, adipose tissue and psoas.
3. Personal effects are released to the appropriate mortuary operations representatives.

FOR OFFICIAL USE ONLY
LAW ENFORCEMENT SENSITIVE
For Official Use Only

ACLU DDII EXHIBIT 39783 7

0146-05-CIDDII-39784



## MICROSCOPIC EXAMINATION

1. Cardiovascular (Slides: 6, 9, 11,12,13): No significant microscopic abnormalities
2. Lungs, right and left (Slides: 1-5): Focal pulmonary edema and vascular congestion with scattered fibrin micro-thrombi
3. Endocrine (Slides: 2-4, 10): No significant microscopic abnormalities are noted in the pancreas, thyroid gland and adrenal glands
4. Gastrointestinal (Slides: 2, 6-8): Liver with mild to moderate steatosis with cholestasis
5. Genitourinary (Slides: 1, 6-8): Kidney with moderate glomerulonephrosclerosis and hemorrhage into the renal tubules. Bladder and prostate are unremarkable
6. Brain (Slide: 13): No significant microscopic abnormalities

## OPINION

This reported 60 year-old male, civilian detainee died of complications of acute gangrenous cholecystitis. According to reports and medical records, the decedent was admitted to the hospital following a few days of abdominal pain, diarrhea and vomiting. Laboratory studies upon admission included an elevated white blood cell count, elevated blood glucose and elevated liver function tests. He underwent an exploratory laparotomy and cholecystectomy for acute gangrenous cholecystitis. He remained unstable post-operatively and despite aggressive resuscitative efforts the patient succumbed to his illness.

Autopsy examination showed a friable, hemorrhagic surgical site with approximately 300 ml of adjacent blood and clot. Histologic examination showed findings suggestive of disseminated intravascular coagulation (DIC) in the lungs. DIC is a potentially life threatening thrombohemorrhagic disorder that can be seen in association with a number of serious medical and surgical disease processes. Postmortem toxicologic analysis revealed only the presence of the therapeutic agent metoclopramide in the blood (0.3 mg/L).

Complicated cholecystitis (eg. gangrene) has a reported mortality rate of 25%. If perforation occurs, the mortality rate increases to 60%.[1] The manner of death is natural.

(b)(6)

(b)(6) Medical Examiner

(b)(6)

(b)(6) Medical Examiner (b)(6)

[1] Santen, S. Cholecystitis and Biliary Colic. March 15, 2005. http://www.emedicine.com/EMERG/topic98.htm

FOR OFFICIAL USE ONLY
LAW ENFORCEMENT SENSITIVE
ACLU DDII EXHIBIT 7
ACLU-RDI 5503 p.31
000100

0146-05-CUSOI-39276

**DEPARTMENT OF DEFENSE**
**ARMED FORCES INSTITUTE OF PATHOLOGY**
**WASHINGTON, DC 20306-6000**

REPLY TO
ATTENTION OF

AFIP-CME-T

**TO:**

**OFFICE OF THE ARMED FORCES MEDICAL EXAMINER**
**ARMED FORCES INSTITUTE OF PATHOLOGY**
**WASHINGTON, DC 20306-6000**

**PATIENT IDENTIFICATION**

**AFIP Accessions Number** (b)(6) **Sequence** (b)(6)

**Name** HAMID-MASHANDANI, ABID-ES

**SSAN:** **Autopsy: ME** (b)(6)

**Toxicology Accession #:** (b)(6)

**Date Report Generated:** October 24, 2005

**CONSULTATION REPORT ON CONTRIBUTOR MATERIAL**
**AMENDED REPORT (correction of accession number)**

**AFIP DIAGNOSIS** **REPORT OF TOXICOLOGICAL EXAMINATION**

**Condition of Specimens:** GOOD
**Date of Incident:** 10/1/2005 **Date Received:** 10/13/2005

**CARBON MONOXIDE**: The carboxyhemoglobin saturation in the blood was 1% as determined by spectrophotometry with a limit of quantitation of 1%. Carboxyhemoglobin saturations of 0-3% are expected for non-smokers and 3-10% for smokers. Saturations above 10% are considered elevated and are confirmed by gas chromatography.

**VOLATILES**: The **BLOOD AND VITREOUS FLUID** were examined for the presence of ethanol at a cutoff of 20 mg/dL. No ethanol was detected.

**CYANIDE**: There was no cyanide detected in the blood. The limit of quantitation for cyanide is 0.25 mg/L. Normal blood cyanide concentrations are less than 0.15 mg/L. Lethal concentrations of cyanide are greater than 3 mg/L.

**DRUGS**: The **LIVER** was screened for amphetamine, antidepressants, antihistamines, barbiturates, benzodiazepines, cannabinoids, chloroquine, mefloquine, cocaine, dextromethorphan, lidocaine, narcotic analgesics, opiates, phencyclidine, phenothiazines, sympathomimetic amines and verapamil by gas chromatography, color test or immunoassay. The following drugs were detected:

Positive Metoclopramide: Metoclopramide was detected in the liver by gas chromatography and confirmed by gas chromatography/mass spectrometry. The blood contained 0.30 mg/L of metoclopramide as quantitated by gas chromatography/mass spectrometry.

(b)(6)

Office of the Armed Forces Medical Examiner

(b)(6)

Office of the Armed Forces Medical Examiner

0146-05-C20789-39276

# CERTIFICATE OF DEATH *(OVERSEAS)*
## Acte dé décès (D'Outre-Mer)

| NAME OF DECEASED *(Last, First, Middle)* Nom du décédé (Nom et prénoms) | GRADE Grade | BRANCH OF SERVICE Arme | SOCIAL SECURITY NUMBER Numéro de l'Assurance Social |
|---|---|---|---|
| BTB Hamid-Mashadani , Abid-Es, | | Civilian | US9IZ157066CI |
| **ORGANIZATION** Organisation | **NATION** *(e.g, United States)* Pays: Iraq | **DATE OF BIRTH** Date de naissance | **SEX** Sexe: [X] MALE [ ] FEMALE |

| RACE Race | | MARITAL STATUS État Civil | | | RELIGION Culte | | |
|---|---|---|---|---|---|---|---|
| X | CAUCASOID Caucasique | | SINGLE Célibataire | DIVORCED Divorcé | | PROTESTANT Protestant | OTHER (Specify) Autre (Spécifier) |
| | NEGROID Negriode | | MARRIED Marié | SEPARATED Séparé | | CATHOLIC Catholique | X |
| | OTHER (Specify) Autre (Spécifier) | | WIDOWED Veuf | | | JEWISH Juif | |

| NAME OF NEXT OF KIN Nom du plus proche parent | RELATIONSHIP TO DECEASED Parenté du décéde avec le sus |
|---|---|
| STREET ADORESS Domicilé à (Rue) | CITY OR TOWN OR STATE *(Include ZIP Code* Ville (Code postal compris) |

## MEDICAL STATEMENT Déclaration médicale

| | CAUSE OF DEATH (Enter only one cause per line) Cause du décès (N'indiquer qu'une cause par ligne) | INTERVAL BETWEEN ONSET AND DEATH Intervalle entre l'attaque et le décès |
|---|---|---|
| DISEASE OR CONDITON DIRECTLY LEADING TO DEATH[1] Maladie ou condition directement responsable de la mort. | Complications of acute gangrenous cholecystitis. | Hours |
| ANTECEDENT CAUSES Symptômes précurseurs de la mort. — MORBID CONDITION, IF ANY, LEADING TO PRIMARY CAUSE Condition morbide, s'il y a lieu. menant à la cause primaire | | |
| ANTECEDENT CAUSES Symptômes précurseurs de la mort. — UNDERLYING CAUSE, IF ANY, GIVING RISE TO PRIMARY CAUSE Condition morbide, s'il y a lieu. menant à la cause primaire | | |
| OTHER SIGNIFICANT CONDITIONS[2] Autres conditions significatives[2] | | |

| MODE OF DEATH Condition de décès | AUTOPSY PERFORMED Autopsie effectuée [X] YES Oui [ ] NO Non | CIRCUMSTANCES SURROUNDING DEATH DUE TO EXTERNAL CAUSES Circonstances de la mort suscitées par des causes extérieures |
|---|---|---|
| X NATURAL Mort naturelle | MAJOR FINDINGS OF AUTOPSY Conclusions principales de l'autopsie | |
| ACCIDENT Mort accidentelle | | |
| SUICIDE Suicide | NAME OF PATHOLOGIST Nom du pathologiste (b)(6) | |
| HOMICIDE Homicide | (b)(6) — DATE Date: 7 October 2005 | AVIATION ACCIDENT Accident á Avion: [ ] YES Oui [X] NO Non |

| DATE OF DEATH *(day, month, year)* Date de décès (le jour, le mois, l'année) | PLACE OF DEATH Lieu de décès |
|---|---|
| 1 October 2005 0402 | Iraq |

I HAVE VIEWED THE REMAINS OF THE DECEASED AND DEATH OCCURRED AT THE TIME INDICATED AND FROM THE CAUSES AS STATED ABOVE.
J'ai examiné les restes mortels du dé funtet je conclus que le décès est survenu à l'heure indiquée et à, la suite des causes énumérées ci-dessus.

| NAME OF MEDICAL OFFICER Nom du médicin militaire ou du médicin sanitaire | TITLE OR DEGREE Titre ou diplômé |
|---|---|
| (b)(6) | |
| GRADE Grade: (b)(6) | INSTALLATION OR ADDRESS Installation ou adresse: Dover AFB, Dover DE |
| DATE Date: 15 May 06 | (b)(6) |

1 State disease, injury or complication which caused dea[illegible]
2 State conditions contributing to the death, but not related to the disease or condition causing death.
1 Préciser la nature de la maladie, de la blessure ou de la complication qui a contribué à la mort, mais non la manière de mourir, telle qu 'un arrêt du coeur, etc
2 Préciser la condition qui a contribué à la mort, mais n'ayant aucun rapport avec la maladie ou à la condition qui a provoqué la mort.

DD FORM 1 APR 77 2064 REPLACES DA FORM 3565, 1 JAN 72 AND DA FORM 3565-R(PAS), 26 SEP 75, WHICH ARE OBSOLETE.

FOR OFFICIAL USE ONLY
LAW ENFORCEMENT SENSITIVE

ACLU DDII CID 39276

EXHIBIT 8

000102