


1001-03-C10519-62147  
1001-03-C10519-62147



(b)(6)-4



63yo ♂ presenta con  
Corte de respiración y  
Tociendo mucho con Soupe


por fovea de coxis  
placa del pecho

(CXR) PA y lateral

N/O Bronchitis y Tuberculosis

Cronica

(b)(6)-2



CPT Mc

FOR OFFICIAL USE ONLY

Ruego venga a las 20,00h. de Jun. 104  
hoy (13-V-03) para realizar la RX EXHIB. 34  
Dijo al am... creado por el →

MEDCOM - 679

# Chronological Record

13 May 03 @ shoulder HA contipation x4

66yr old male

1350 hrs c/o dyspnea x today

PO<sub>2</sub> 88% O- Rates, pitting edema (L) leg only.

@ 1350 hrs

100% O<sub>2</sub>

O<sub>2</sub> Therapy

@ 4L/min

A.

Refer to Spanish for CXR

1500 → Spanish X Ray is down. Return @ 1700 hrs.

SSG (b)(6)-1 (b)(3)-1 MP BN

it's up to you and the

13 May 03

2055

Rec'd CXR. Will hold pt. in Medical Holding Tent in intent of further eval. & possible expediting his release.

SSG (b)(6)-1 (b)(3)-1 MP BN

NAME

US/ (b)(6)-4

(b)(6)-4

OTJAN 38

FOR OFFICIAL USE ONLY

0000165

EXHIBIT 34

# CHRONOLOGICAL RECORD

14 Mayo 03

~ Paciente con tos y expectoración hemoptica

AP: ruidos a bases de predominio de

Rx: Inicijenes ruidosantes ruidosantes  
y a lobos medio superior de pecho  
tuberculosis con fcs ruidosantes aislados

Se paciente es acompañada que sea liberada o  
aislada para recibir Tto especifica

I-clinico: Tuberculosis pulmonar.

Tt: Inicijenes Tto con Ciprofloxacim



NAME:

(b)(6)-4

#

(b)(6)-4

FOR OFFICIAL USE ONLY  
FOR OFF.

MEDCOM - 681

000 105  
EXHIBIT 34

DOB:

17 JAN 29


14 May 03

~~XXXXXXXXXX~~, Chest pain

Fractura por arma de fogo de tibia drc  
1 mes de evolucion, tratado em fixador  
externo > depois com escroala

Rx: Fractura em evolucion

- TT: - Manter escroala
- " descaixa 3 semanas mas



~~XXXXXXXXXX~~

US (b)(6)-4

(b)(6)-4

000 107

FOR OFFICIAL USE ONLY

EXHIBIT 34

# CHRONOLOGICAL RECORD

1031-03-CID519-62147

17 MAY 03

Paciente que refiere fue golpeado hace 4 días desde entonces presenta dolor a la movilización articulación hombro (F) y muñeca izqda. No hematomas, ni signos de contusión en hombro; influencia Rx de hombro (F) ~~y muñeca~~ muñeca

Presenta además una erosión en región coxígea como consecuencia (según refiere) de haber sido arrastrado.

- Tto: - Cua local de la ~~entera~~ y vendaje  
- Inmovilización de la muñeca  
- Buifen 600 1c/12h

(b)(6)-2

MEDICO

(b)(6)-2

US

(b)(6)-4

(b)(6)-4

FOR OFFICIAL USE ONLY  
MEDCOM - 683

U.S. 103  
EXHIBIT 34

0031-03-CID519-62147

PACIENT: (b)(6)-4  
VS (b)(6)-4 EPW

CLINIC HISTORY:

Traumatic osteoarthritis of right elbow (4 days ago) in old injury (Gulf war).  
When he was 6 years old probably epiphisiolysis or fracture-dislocation.  
Nothing to do, only pills analgesics-AINE,s.



DIAGNOSTIC: Traumatic osteoarthritis of right elbow.

26, may, 2003

(b)(6)-2

Tcol. Commander EMATCEN.

(b)(6)-2



003 103

For official use only  
MEDCOM - 684

EXHIBIT 34

PACIENT: (b)(6)-4  
ISN # (b)(6)-4 EPW

CLINIC HISTORY:

Hamatoma in posterior region of left elbow with pain in epitroclea and epicondyle.  
X-rays suggest small fragment (acute or old) of epicondile, because he was operated in  
the past of humeral fracture, consolidated actually (with osteosynthesis).

I recomended brachial splent that was refused by the patient waiting for evolution.

He wanted pills AINE,s and so it was done.

DIAGNOSTIC: Traumatic hematoma of left elbow.

26, may, 2003

Tcol. Commander EMATCEN.



(b)(6)-2

000 170

EXHIBIT 34