

ICU ADMISSION ORDERS
(Circle appropriate order)

1. Admit to ICU: Date/Time 2020 18 Apr 03

2. Admitting physician (b)(6)-2

3. Diagnosis: Pneumonia / Blast injury

4. Procedures: debridement

5. Condition: SL VSL

6. Allergies: unknown

7. Isolation: Standard All patients
Airborne Small pox, Measles, Varicella, Pulmonary tuberculosis, unknown.
Droplet Pneumonic plague, Meningococcus, Influenza
Contact MRSA, Viral hemorrhagic fevers

8. Nursing: Vital Signs (BP, Pulse, Temp, SAO₂) every hour
Call MD Temp >101.5 or <98
Hourly Urine Output < 0.5 cc/kg
MAP < 60 or SBP >200 or DBP >110

Neuro checks

Weight QD

Teds/SCDS - @ only

Foley to gravity

NG to LIS

Chest tube to -20cm H₂O pleurovac

Head of Bed elevated to 30 degrees

C-spine collar and log roll

Incentive Spirometry 10reps Q1hr

9. Diet: NPO

Clear liquids

Regular

Advance as tolerated

10. Activity: Bed rest

11. IVF: LR at DS/NSS cc/hr or 125 at 125 cc/hr.

12. Radiology: CXR on admission and QAM (while intubated)

(b)(6)-4

MEDCOM - 5480

(b)(6)-2

CAPT/mc/USN

13. Labs:

On admission to ICU: CBC, Chem 7, Chem 20 ABG, PT/PTT, Type/Cross or Type/hold ___ units
 QAM: CBC Chem 7 ABG
 LFTs Amylase/Lipase x 1 day (Am 4/19)
 PT/PTT Mg/Ca/PO4

14. Oxygen: Titrate to SpO2 93-97% using nasal cannula, face mask prn
Ventilator protocol

15. Meds: Ancef 1 gm IVPB Q8hrs x 6 doses

Vancomycin 1 gm IV Q12hrs (if PCN allergic) x 4 doses

Mefoxin 1 gm IV Q8hrs x 6 doses

Heparin 5000 units SQ BID

Prilosec 40mg slurry NG/po QD or Zantac 50mg IV q 8

PRN: Morphine sulfate 2-6mg IV Q 1hr prn pain

Ativan 1-2mg IV Q 1hr prn agitation

Tylenol 650mg supp pr Q6hr prn Temp >101

Benadryl 25 mg IV/PO Q 4hrs PRN itch

Phenergan 12.5mg to 25mg PO/IV Q4hrs PRN nausea

Vistaril 12.5mg 25mg PO Q4hrs PRN nausea

16. MISC.

UA - send please.

Vitamin K 10mg SQ qAm x 3 days

- Fluconazole 400mg po via NG tube BID

Tobramycin 425 IVPB q24

Roxithromycin 2 grams q8

Nystatin powder to mouth

propofol infusion - titrate to Ramsey 2-3

changing A's bid - iodofors wet to dry @ 1 means

clean to dry gauge, xeroform to scabs/les with gauge

Protocols

Bum

Insulin IV drip

Heparin IV drip

Electrolyte

Insulin Subcutaneous sliding scale

Enteral Feeding

b(6)-4

b(6)-2

7.11.11 #7

MEDCOM - 5481

CAPT/mc/jr

ICU ADMISSION ORDERS (Circle appropriate order)

1. Admit to ICU: Date/Time 4/24/03 1000
2. Admitting physician (b)(6)-2
3. Diagnosis: down in Radiology
4. Procedures: (5)
5. Condition: SL VSL
6. Allergies: GKOA
7. Isolation: Standard All patients
 Airborne Small pox, Measles, Varicella, Pulmonary tuberculosis, unkr
 Droplet Pneumonic plague. Meningococcus, Influenza
 Contact MRSA, Viral hemorrhagic fevers
8. Nursing:
 - Vital Signs (BP, Pulse, Temp, SAO₂) every hour
 - Call MD Temp >101.5 or <98
 - Hourly Urine Output < 0.5 cc/kg
 - MAP < 60 or SBP >200 or DBP >110
 - Neuro checks
 - Weight QD
 - Teds/SCDS
 - Foley to gravity
 - NG to LIS
 - Chest tube to -20cm H₂O pleurovac
 - Head of Bed elevated to 30 degrees
 - C-spine collar and log roll
 - Incentive Spirometry 10reps Q 1hr
9. Diet: NPO
 - Clear liquids
 - Regular
 - Advance as tolerated
10. Activity: Bed rest
11. IVF: LR at _____ cc/hr or NSS at 150 cc/hr.
12. Radiology: CXR on admission and QAM (while intubated)

(b)(6)-2

MEDCOM - 5482

4/24/03

13. Labs:

On admission to ICU: CBC, Chem 7, Chem 20, ABG, PT/PTT, Type/Cross or Type/hold units

QAM: CBC

LFTs

PT/PTT

Chem 7

Amylase/Lipase

Mg/Ca/PO4

ABG

(b)(6)-2

(b)(6)-2

14. Oxygen: Titrate to SpO2 93-97% using nasal cannula, face mask prn
Ventilator protocol

(b)(6)-2

15. Meds: Ancef 1gm IVPB Q8hrs x 6 doses

Vancomycin 1gm IV Q12hrs (if PCN allergic) x 4 doses

Meftoxin 1gm IV Q8hrs x 6 doses

Heparin 5000 units SQ BID

Prilosec 40mg slurry NG/po QD or Zantac 50mg IV q 8

PRN: Morphine sulfate 2-6mg IV Q 1hr prn pain

Ativan 1-2mg IV Q 1hr prn agitation

Tylenol 650mg supp pr Q6hr prn Temp >101

Benadryl 25 mg IV/PO Q 4hrs PRN itch

Phenergan 12.5mg to 25mg PO/IV Q4hrs PRN nausea

Vistaril 12.5mg 25mg PO Q4hrs PRN nausea

16. MISC.

~~Fluconazole~~

EEG / CT head (non con)

UA

(b)(6)-2

Protocols

Burn

Insulin IV drip

Heparin IV drip

Electrolyte

Insulin Subcutaneous sliding scale

Enteral Feeding

(b)(6)-4

(b)(6)-2

(b)(6)-2

MEDCOM - 5483

(b)(6)-2

(b)(6)-2

ICU ADMISSION ORDERS
(Circle appropriate order)

1. Admit to ICU: Date/Time 20 April 08 1645

2. Admitting physician _____

3. Diagnosis: Pneumonia

4. Procedures: _____

5. Condition: SL VSL

6. Allergies: _____

7. Isolation: Standard Airborne Droplet Contact
All patients
Small pox, Measles, Varicella, Pulmonary tuberculosis, unknown.
Pneumonic plague, Meningococcus, Influenza
MRSA, Viral hemorrhagic fevers

8. Nursing: Vital Signs (BP, Pulse, Temp, SAO₂) every hour
Call MD Temp >101.5 or <98
Hourly Urine Output < 0.5 cc/kg
MAP < 60 or SBP >200 or DBP >110

Neuro checks

Weight QD

Teds/SCDS

Foley to gravity

NG to LIS

Chest tube to -20cm H₂O pleurovac

Head of Bed elevated to 30 degrees

C-spine collar and log roll

Incentive Spirometry 10reps Q1hr

9. Diet: NPO

Clear liquids

Regular

Advance as tolerated

10. Activity: Bed rest

11. IVF: LR at _____ cc/hr or 2 NS at 100 cc/hr.

12. Radiology: CXR on admission and QAM (while intubated)

(b)(3)-1

PERSONAL DATA RIGHT ACT 1974

(b)(6)-2

(b)(6)-4

(b)(6)-2

MEDCOM - 5484

(b)(6)-2

(b)(6)-2

(b)(6)-2

(b)(6)-2

(b)(6)-2

(b)(6)-2

13. Labs:

On admission to ICU: CBC, Chem 7, Chem 20, ABG, PT/PTT, Type/Cross or Type /Hold _____ units

QAM

Chem 7

ABG

LFTs

Amylase/Lipase

PT/PTT

Mg/Ca/PO4

14. Oxygen: Titrate to SpO2 93-97% using nasal cannula, face mask prn
Ventilator protocol

(b)(6)-2

15. Meds: Ancef 1gm IVPB Q8hrs x 6 doses

Vancomycin 1gm IV Q12hrs (if PCN allergic) x 4 doses

Mefoxin 1gm IV Q8hrs x 6 doses

Heparin 5000 units SQ BID

Prilosec 40mg slurry NG/po QD or Zantac 50mg IV q 8

PRN: Morphine sulfate 2-6mg IV Q 1hr prn pain

Ativan 1-2mg IV Q 1hr prn agitation

Tylenol 650mg supp pr Q6hr prn Temp >101

Benadryl 25 mg IV/PO Q 4hrs PRN itch

Phenergan 12.5mg to 25mg PO/IV Q4hrs PRN nausea

Vistaril 12.5mg 25mg PO Q4hrs PRN nausea

16. MISC.

Vancomycin 1gm IV Q12

Levofloxacin 500mg IV Q8

Tobramycin 5mg/kg IV first dose

CT - Abd/pelvis for abscess pockets

consults - Gen Surgery

Is his abd/pelvis source infection

to 2 units ABSC

Verum ABG p blood

Motrin 600mg po prn fever Q6

Dilantin 100mg IV TID

Albuterol / Mucosol 1250mcg nebs Q6

Protocols

Bum
(b)(6)-4

Electrolyte

Insulin Subcutaneous sliding scale

Enteral Feeding

Heparin IV drip

(b)(3)-1

PEER REVIEW DATA PRIV ACT 1974

(b)(6)-4

W6 to LIS

(b)(6)-2

(b)(6)-4

MEDCOM - 5485

LEDL/h
4/26/03

TRANSFER TO WARD ORDERS**[Circle appropriate order]**

1. Admit to SP-1 on DATE/TIME 29 Apr 03 (b)(6)-2

2. Admitting physician (b)(6)-2

3. Diagnosis: Aspiration Pneumonia

4. Procedures: SL

5. Condition: SL VSL STABLE

6. Allergies: None

7. Isolation: Standard All patients
Contact MRSA, Viral hemorrhagic fevers Acrobacter

8. Nursing: (b)(6)-2
 Vital Signs (BP, Pulse, Temp,) every route hours
 Call MD Temp >101.5 or <98
Hourly Urine Output <0.5 ccl/kg
MAP < 60 or SBP >200 or DBP >110
 Weight QD
 Neuro checks
 Teds/SCDS
Foley to gravity
 NG to LIS
 Chest tube to -20cm H2O pleurovac
Head of Bed elevated to 30 degrees keep in stretcher 1405T + 7220
 C-spine collar and log roll
Incentive Spirometry 10reps Q1hr

9. Diet: NPO
 Clear liquids
Regular
 Advance as tolerated

10. Activity: Bed rest
 Out of bed with assistance
 Ad Lib

12. IVF: LR at cc/hr or at cc/hr Or Heparin Lock
29 Apr 03 1405T (b)(6)-2

(b)(6)-4

MEDCOM - 5486

11. Labs:

QAM: CBC

LFTs

PT/PTT

Chem 7

Amylase/Lipase

Mg/Ca/PO4

ABG

+ Dilantin level Q AM

(b)(6)-2

13. Radiology:

(b)(6)-2

14. Oxygen:

(b)(6)-2

15. Meds: Ancef Igrn IVPB Q8hrs x 6 doses total

Vancomycin 1gm IV Q12hrs (if PCN allergic) x 4 doses total

Mefoxin Igrn IV Q8hrs x 6 doses total

Heparin 5000 units SQ BID

Prilosec slurry 40mg NG/po QD or Zantac 50 mg IV q 8 hrs

PRN: Morphine sulfate 2-6mg IV Q 1hr prn pain

Ativan 1-2mg IV Q 1hr prn agitation

Tylenol 650mg supp pr Q6hr prn Temp >101

Benadryl 25 mg IV/PO Q 4hrs PRN itch

Phenergan 12.5mg to 25mg PO/IV Q4hrs PRN nausea

Vistaril 12.5mg 25mg PO Q4hrs PRN nausea

16. MISC.

Lovenox 30mg SQ BID

Zantac 50mg IV Q8°

Vancomycin 1gm IV Q12°

Imipenem 500mg IV Q8°

Albuterol 1.40 QID + prn

Amikacin 15mg/kg Q24°

Flagyl 500mg po/IV Q8°

Dilantin 200mg IV TID

(b)(6)-2

29 Apr D3 1620

(b)(6)-2

(b)(6)-4

(b)(6)-2

MEDCOM - 5487

(E 3)-4

NURSING WORK SHEET
MEDTRAC-6550/12/Temp Form

Date:

4/18/03

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120																								
100																								
80																								
60																								
40																								
RR																								
TEMP																								
SAO2																								
MAP																								
O2																								
Mode																								
T.V.																								
SpO2																								
F.O2																								
P.S.V.																								
Respiration Profile																								

MEDCOM - 5489

D R I P / C O S E

FREQ. VITAL SIGNS

[illegible]

INPUT/OUTPUT

[illegible][illegible]

PREVIOUS 24 HOUR INPUT ~~2139~~

PREVIOUS 24 HOUR OUTPUT 1259

PREVIOUS WEIGHT_____

PRESENT.24 HOUR INPUT 2189

PRESENT 24 HOUR OUTPUT 19.59.

PRESENT WEIGHT_____

3K (MEDTREF-AC 6550/12Temp Form,

[illegible]

MEDCOM - 5491

ACLU-RDI 1268 p.12


DOD 12703

(b)(6)-4

Name: _____

NURSING AWW SHEET
MEDTREFAC-6550/127Temp Form

Date: 4/19/03-4/20/03



DRIPP DOSE

MEDCOM - 5492

FREQ. VITAL SIGNS

[illegible]

INPUT/OUTPUT

[illegible]

MEDCOM - 5493

[illegible]

PREVIOUS 24 HOUR INPUT 2189

PREVIOUS 24 HOUR OUTPUT 1959

PREVIOUS WEIGHT _____

PRESENT 24 HOUR INPUT 2781


PRESENT 24 HOUR OUTPUT 5450

PRESENT WEIGHT _____ 19 Apr - 20 Apr 2003

Name: (b)(6)-4

NURSING WORK SHEET
MEDTREFAC 6550/12/Temp Form

Date: 7/19/03 - 4/26/03



Name:

NURSING WORK SHEET

MEDTRAC-655012/Temp Form

BED:

Date: 20 Apr - 21 Apr

2003

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120																								
100																								
80																								
60																								
40																								
RR	32	32	32	35	32	34	24	22	22	24	32	32	32	32	32	32	32	32	32	32	32	32	32	32
TEMP	99.7	99.4	97.9	99.1	98.6	98.4	99.6	100	99.8	99.6	98.6	98.4	98.4	98.4	98.4	98.4	98.4	98.4	98.4	98.4	98.4	98.4	98.4	98.4
SAO2	97	100	97	98	98	100	98	94	96	96	97	97	97	97	97	97	97	97	97	97	97	97	97	97
MAP	96	91	103	102	91	97	97	78	97															
O2	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA
SpO2																								

DRIP DOSE

Neurovascular/Neuromuscular Check (MEDTREFAC 6550/12/Temp Form)

LUE

UE

MEDCOM - 5496

LE

RLE

TIME	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN	4					4				4				4				4				4		
VERBAL	4					4				5				6				6				6		
MOTOR	6					6				6				15				15				15		
TOTAL	415					14				15				15				15				15		
PUPIL REAC	+					+				+				+				+				+		
R/L	+					3				3				3				3				3		
PUPIL SIZE	3					3				3				3				3				3		
R/L	3					3				3				3				3				3		
COLOR	NFR					NFR				NFR				NML				NML				NML		
PULSES	+2					+				+				+				+				+		
CAP REFILL	02					+				+				+				+				+		
MOVEMENT	+					+				+				+				+				+		
STRENGTH	5					+2				+2				+2				+2				+2		
COLOR	NFR					NFR				NFR				NML				NML				NML		
PULSES	+2					+				+				+				+				+		
CAP REFILL	02					+				+				+				+				+		
MOVEMENT	+					+				+				+				+				+		
STRENGTH	5					+5				+5				+5				+5				+5		
COLOR	NFR					NFR				NFR				NFR				NML				NML		
PULSES	+2					+				+				+				+				+		
CAP REFILL	02					+				+				+				+				+		
MOVEMENT	+					+				+				+				+				+		
STRENGTH	5					+5				+5				+5				+5				+5		
COLOR	NFR					NFR				NFR				NML				NML				NML		
PULSES	+2					+				+				+				+				+		
CAP REFILL	02					+				+				+				+				+		
MOVEMENT	+					+				+				+				+				+		
STRENGTH	5					+5				+5				+5				+5				+5		

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversational	Oriented	
MOTOR	None	Extension	Flexion-Abnormal	Flexion-Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movements: • -

Strength: 0 = 15/5

FW = Flexion/Withdrawal

E = Extension

FL = Flaccid

FA = Flexion Abnormal

Reflexes:

• = Absent

Pupil Reaction:

S = Sluggish

+ = Reactive

- = Nonreactive

PUPIL SIZE SCALE (MM)

SIZE

TIME	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN	4															4								
VERBAL	5															5								
MOTOR	6															6								
TOTAL	15															15								
PUPIL REAC	+	+														+								
R/L																								
PUPIL SIZE	2	2														2								
R/L																								
COLOR	NFR															NFR								
PULSES	+															+								
CAP REFILL	L2															L2								
MOVEMENT	+															+								
STRENGTH	3															3								
COLOR	NFR															NFR								
PULSES	+															+								
CAP REFILL	L2															L2								
MOVEMENT	+															+								
STRENGTH	2															2								
COLOR	NFR															NFR								
PULSES	+															+								
CAP REFILL	L2															L2								
MOVEMENT	+															+								
STRENGTH	2															2								
COLOR	NFR															NFR								
PULSES	+															+								
CAP REFILL	L2															L2								
MOVEMENT	+															+								
STRENGTH	2															2								

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversation	Oriented	
MOTOR	None	Extension	Flexion Abnormal	Flexion Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movements: + = Present, - = Absent

Strengths: 0 = +5/5, P = Promotor Drift, FU = Flexion/Withdrawal, E = Extension, FL = Flaccid, FA = Flexion Abnormal

Reflexes: - = Absent, + = Present

Pupil Reaction: S = Sluggish, + = Reactive, - = Nonreactive

PUPIL SIZE SCALE (mm)

SIZE

Name: (b)(6)-4

NURSING FLOW SHEET
MEDTREFAC6550/12/Temp Form

Date: 4-21-03

✓
CUFF
/ AL
|

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120	120	110	105	110	105	120	110		110								120				120	130		
100																								
80	80	80	75	80	80	80	80		80												80	90		
60																	60							
40																								
RR	28	24	24	28	22	26	28		26								24				22	24		
TEMP	98.7	97.6	98.6	97	97.8	97.6	97.1		99.4								100.1				99.0	98.6		
SAO2	97	96	95	97	98	97	95		96													95		
MAP	104	103	91	103	102	103	102																	
O2 Mode	RA	RA	RA	RA	RA	RA	RA															RA		
																	124/66				140/102	127/85	Repeat	

D
R
I
P
D
S
E

DOD 12711

otes:

MEDCOM - 5499

[illegible]

PRESENT WEIGHT

(b)(6)-4

Name: _____

NURSING SHEET
MEDREFAC 635 Temp Form

Date: 22 APR 95

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120																								
100																								
80																								
60																								
40																								
RR		20																						
TEMP		97.3																						
SAO ₂		95																						
MAP																								
O ₂																								
Mode																								
B/P																								
HR																								

~~DRIP DOSE~~

MEDCOM - 5500

FREQ. VITAL SIGNS

[illegible]

No...

INPUT/OUTPUT ✓

[illegible][illegible]

PREVIOUS 24 HOUR INPUT _____

PREVIOUS 24 HOUR OUTPUT_____

PREVIOUS WEIGHT _____

PRESENT 24 JR INPUT
ACLU-RDI 1268 p.22

PRESENT 24 HOUR OUTPUT _____

PRESENT WEIGHT _____

MEDCOM - 5501

4/24/03

NURSING SHEET
MEDTREFAC 655 Temp Form

Time	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
120																							
100																							
80																							
60																							
40																							
RR			28	24	24	24	20	20	24	20	24	27	27	24	22	20	20	20	20	20	20	20	20
TEMP			100.0	99.9	—	—	—	100	—	—	—	—	—	99.2	—	—	—	99.4	—	—	100.3	—	—
SAO2			100	100	100	100	100	99	100	100	100	100	100	98	100	98	99	99	98	98	98	98	99
MAP			73	80	85	85	90	85	90	85	86	86	85	85	85	86	86	79	79	69	79	40	73
O2 Mode			100% WAO	100% WAO	3L NC	3L NC	3L NC	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA

(b)(6)-4

FREQ. VITAL SIGNS

[illegible]

INPUT/OUTPUT

[illegible][illegible]

MEDCOM - 5503

PREVIOUS 24 HOUR INPUT.

PREVIOUS 24 HOUR OUTPUT

PREVIOUS WEIGHT

PR: VT.24 H² INPUT 5600

PRESENT 24 HOUR OUTPUT

PRESENT WEIGHT

MEDCOM - 5504

TIME	08	09	10	11	12	13	14	15	16	17	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN			4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
VERBAL			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MOTOR			5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
TOTAL			10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
PUPIL REAC			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
PUPIL SIZE			5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5	5/5
COLOR VUE			NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL
PULSES			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
CAP REFILL			23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
MOVEMENT			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLOR VUE			NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL
PULSES			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
CAP REFILL			23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
MOVEMENT			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLOR VUE			NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL	NFL
PULSES			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
CAP REFILL			23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
MOVEMENT			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously	Oriented	Obeys Commands
VERBAL	None	Incomprehensible	Inappropriate	Confused	Localized Pain	
MOTOR	None	Extension	Flexion Abnormal	Flexion Withdrawal		

LEGEND

Movement: +
 Strength: 0 - +5/5
 P = Pronator Drift
 FU = Flexion/Withdrawal
 E = Extension
 FL = Flaccid
 FA = Flexion Abnormal
 Reflexes:
 - = Absent
 + = Present
 Pupil Reaction:
 S = Sluggish
 + = Reactive
 - = Nonreactive

PUPIL SIZE SCALE (MM)

SIZE

(b)(6)-4

NURSING SHEET
MEDTREFAC 637 Temp Form

Name: _____

DATE: _____

25 APR 03

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120																								
100																								
80																								
60																								
40																								
RR																								
TEMP																								
SAO2																								
MAP																								
O2																								
Mode																								
Pulse																								

MEDCOM - 5505

~~DRIP DOSE~~

FREQ. VITAL SIGNS

[illegible]

INPUT/OUTPUT

File no 2030

[illegible]

MEDCOM - 5506

[illegible]

RF US 24 HOUR INPUT

PREVIOUS 24 HOUR OUTPUT

PREVIOUS WEIGHT	
100	100
90	90
80	80
70	70
60	60
50	50
40	40
30	30
20	20
10	10
0	0

RI T.24 JR INPUT

PRESENT 24 HOUR OUTPUT

PRESENT WEIGHT

NURSING SHEET
 MEDTREFAC-6550 Temp Form

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
120																								
100																								
80																								
60																								
40																								
20																								
MP	30	30	30	30	20																			
O2	98	97	98	97	98																			
AP	86	77	80	86	85	80																		
de	RA	RA	RA	RA	RA																			

MEDCOM - 5507

DOD 12720

INPUT/OUTPUT

MEDCOM - 5508

ACLU-RDI 1268 p.29

[illegible]

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversation	Oriented	
MOTOR	None	Extension	Flexion Abnormal	Flexion Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movements: + = Present
 - = Absent

Strengths: 0 = +5/5

P = Pronator Drift

FW = Flexion/Withdrawal

E = Extension

FL = Flaccid

FA = Flexion Abnormal

Reflexes:
 - = Absent
 + = Present

Pupil Reaction:
 S = Sluggish
 + = Reactive
 - = Nonreactive

MODEL SIZE SCALE (mm)

5122

NURSING SHEET
MEDREFAC 655 Temp Form

Name: _____

Date: 4/26/03

ewfnd 2002 2003

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
TEMP																								
SAO2																								
MAP																								
Code																								
CVP																								

See frequent vitals on reverse

PR	18	16	18	70	75	72	20	24	28	22	24													
TEMP	102.5	101.4	101.4	100.4	99.6	97	97	98.7	98.6	99.4	98.9													
SAO2	98	100	99	97	96	97	97	98	98	95	95													
MAP	78	68	76	60	73	73	84	79	84	84	86													
Code	RA			RA	RA	RA	RA	RA	RA	RA	RA													
CVP	11	17	15	10	9	9	8	7	10	9	7													

DRIPPOSE

Notes:

[illegible][illegible]

ACLU-RDI 1268 p.32

TIME	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN											4				4					4				
VERBAL											1				1					1				
MOTOR											1				5					5				
TOTAL											6				10					10				
PUPIL REAC											+				+					+				
R/L											+				+					+				
PUPIL SIZE											4				4					4				
R/L											4				4					4				
COLOR											PR				NPR					PR				
PULSES											4/4				+2					+2				
CAP REFILL											23				23					23				
MOVEMENT											-				+					+				
STRENGTH											PR				+2					+2				
COLOR											4/4				NPR					PR				
PULSES											23				+2					+2				
CAP REFILL											-				23					23				
MOVEMENT											+				+					+				
STRENGTH											PR				+2					+2				
COLOR											+				NPR					PR				
PULSES											PR				+2					+2				
CAP REFILL											-				23					23				
MOVEMENT											+				+					+				
STRENGTH											PR				+2					+2				
COLOR											PR				NPR					PR				
PULSES											PR				+2					+2				
CAP REFILL											PR				23					23				
MOVEMENT											+				+					+				
STRENGTH											PR				+2					+2				

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversation	Oriented	
MOTOR	None	Extension	Flexion-Abnormal	Flexion-Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movements: + -
 Strength: 0 - +5/5
 P = Pronator Drift
 FU = Flexion/Withdrawal
 E = Extension
 FL = Flaccid
 FA = Flexion Abnormal

Reflexes:
 - = Absent
 + = Present
 Pupil Reaction:
 S = Sluggish
 + = Reactive
 - = Nonreactive

PUPIL SIZE SCALE (MM)

SIZE

Name: _____

NURSING SHEET
MEDTRAC-650 Temp Form

Unit: 26 APR 03

30

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120																								
100																								
80																								
60																								
40																								
RR	18					36				48														
TEMP	100.2					101.2				102														
SAO2	97					98.82				99														
MAP																								
O2						62																		
Mode						PRCK																		
	115					134/70				130/70														

FF

L

L

IR

~~D R I P~~ ~~D O S E~~

DOD 12726

INPUT/OUTPUT

MEDCOM - 5514

ACLU-RDI 1268 p.35

Neurovascular/Neuromuscular Check (MEDTREFAC 6550/12/Temp Form)

LUE

LEUE

LLE

RLE

TIME	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN		4				4				4				4				4				4		
VERBAL		1*				1				1				2				2				4		
MOTOR		6				6				6				6				6				2		
TOTAL		11				11				11				12				12				6		
PUPIL REAC		+				+				+				+				+				+		
R/L		+				+				+				+				+				+		
PUPIL SIZE		3mm				3mm				3mm				3mm				3mm				3		
R/L		3mm				3mm				3mm				3mm				3mm				3		
COLOR		PINK				PINK				PINK				PINK				PINK				PINK		
PULSES		+				+				+				+				+				+		
CAP REFILL		<3s				<3s				<3s				<3s				<3s				<3s		
MOVEMENT		+				+				+				+				+				+		
STRENGTH		+3				+3				+3				+3				+3				+3		
COLOR																								
PULSES																								
CAP REFILL																								
MOVEMENT																								
STRENGTH																								
COLOR																								
PULSES																								
CAP REFILL																								
MOVEMENT																								
STRENGTH																								

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversational	Oriented	
MOTOR	None	Extension	Flexion-Abnormal	Flexion-Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movement: + -
 Strength: 0 - +5/5
 P = Pronator Drift
 FW = Flexion/Withdrawal
 E = Extension
 FL = Flaccid
 FA = Flexion Abnormal

Reflexes:
 - = Absent
 + = Present
 Pupil Reaction:
 S = Sluggish
 + = Reactive
 - = Nonreactive

PUPIL SIZE SCALE (MM)



Name _____

NURSING FLOW SHEET
MEDTREFAC 6550/12/Temp Form

Date: 4/27/63

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
200																							
180																							
160																							
140																							
120																							
100																							
80																							
60																							
40																							
RR	72	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
TEMP	99.0	99.1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
SAO2	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
MAP	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79
O2	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA
Mode	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA	RA
CVP	4	6	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9

> CUFF < — AL —

D R I P D O S E

DOD 12729

N S:[illegible]

O	07	08	09	10	11	12	13	14	15	16	17	18	TOTAL	19	20	21	22	23	24	01	02	03	04	05	06	TOTAL
Y	125	125	200	100	100	195	1000	85	145	145	140	90		180	185	170	160	120	120	140	120	180	120	160	200	190
U													1465													
BI																										
RESIDUAL										0							5					6				

PREVIOUS WEIGHT

PRESENT WEIGHT

Neurovascular/Neuromuscular Check (MEDTREFAC 6550/12/Temp Form)

TIME	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN		4				4				4				4				4				4		
VERBAL		2				2				2				2				2				2		
MOTOR		5				5				5				5				5				5		
TOTAL		11				11				11				11				11				11		
PUPIL REAC		+				+				+				+				+				+		
R/L		+				+				+				+				+				+		
PUPIL SIZE		4.4				4.4				4.4				4.4				4.4				4.4		
R/L		4.4				4.4				4.4				4.4				4.4				4.4		
COLOR		NFR				NFR				NFR				NFR				NFR				NFR		
PULSES		+				+				+				+				+				+		
CAP REFILL		<3				<3				<3				<4				<3				<3		
MOVEMENT		+				+				+				+				+				+		
STRENGTH		3				3				3				2				2				3		
COLOR		NFR				NFR				NFR				NFR				NFR				NFR		
PULSES		+				+				+				+				+				+		
CAP REFILL		<3				<3				<3				<4				<3				<3		
MOVEMENT		+				+				+				+				+				+		
STRENGTH		3				3				3				2				2				3		
COLOR		NFR				NFR				NFR				NFR				NFR				NFR		
PULSES		+				+				+				+				+				+		
CAP REFILL		<3				<3				<3				<4				<3				<4		
MOVEMENT		+				+				+				+				+				+		
STRENGTH		3				3				3				2				2				3		
COLOR		NFR				NFR				NFR				NFR				NFR				NFR		
PULSES		+				+				+				+				+				+		
CAP REFILL		<3				<3				<3				<4				<3				<4		
MOVEMENT		+				+				+				+				+				+		
STRENGTH		2				2				2				2				2				2		

LUE

UE

LLE

RLE

MEDCOM - 5518

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversation	Oriented	
MOTOR	None	Extension	Flexion-Abnormal	Flexion-Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movement: + -
 Strength: 0 - +5/5
 P = Pronator Drift
 FW = Flexion/Withdrawal
 E = Extension
 FL = Flaccid
 FA = Flexion Abnormal

Reflexes:
 - = Absent
 + = Present
 Pupil Reaction:
 S = Sluggish
 + = Reactive
 - = Nonreactive

PUPIL SIZE SCALE (MM)



(b)(6)-4

N^o

NURSING FLOW SHEET MEDTREFAC 6550/12/Temp Form

Date: 4/28/03

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
200																							
180																							
160																							
140																							
120	✓	✓ 112												✓				✓				✓	
100				✓ 108	✓ 106	✓ 102				✓ 104								✓					
80	✓ 98																						
60	✓ 82			✓ 78	✓ 78	✓ 76				✓ 78								✓				✓	
40																							
RR	23	20		20	20	18				20	20			20				22				20	
TEMP		100.1				99.4				99.1	98.9			100.1				100.1				100.5	
SAO ₂	100	100%		100%	100%	98%				100%	97			99				97				98	
MAP	91	92		96	85	85				91	91			92				95				89	
O ₂ Mode	RA	RA		RA	RA	RA				RA	RA			RA				RA				RA	
CVF	16	9		11	11	10				10	9			9				10				10	

D R I P
D O S E

FREQ. VITAL SIGNS

[illegible]

N 5:

INPUT/OUTPUT

[illegible]

PREVIOUS 24 HOUR INPUT

PREVIOUS 24 HOUR OUTPUT

PREVIOUS WEIGHT

PRINT 24 HOUR INPUT_____

PRESENT 24 HOUR OUTPUT

PRESENT WEIGHT

Name

NURSING FLOW SHEET
MEDTRAC 6550/12 Temp Form

Date: 4/29/03

Time	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05	06
200																								
180																								
160																								
140																								
120																								
100																								
80																								
60																								
40																								
RR	18																							
TEMP	99.0																							
SAO2	100%																							
MAP	96																							
O2	RA																							
Mode	RA																							
CVP	15																							
ES																								

> CUFF < $\frac{1}{-}$ AL $\frac{1}{+}$

HR

~~DRIP DOS~~

MEDCOM - 5521

FREQ. VITAL SIGNS

[illegible]

Notes:

INPUT/OUTPUT

[illegible][illegible]

MEDCOM - 5522

PREVIOUS 24 HOUR INPUT

PREVIOUS 24 HOUR OUTPUT

PREVIOUS WEIGHT

PRESENT 24 HOUR INPUT

PRESENT 24 HOUR OUTPUT

PRESENT WEIGHT

TIME	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06
EYES OPEN		4				4																		
VERBAL		2				2																		
MOTOR		6				6																		
TOTAL		12				12																		
PUPIL REAC		+				+																		
R/L		+				+																		
PUPIL SIZE		2mm				3mm																		
R/L		2mm				3mm																		
COLOR		PINK				PINK																		
PULSES		+				+																		
CAP REFILL		<3s				<3s																		
MOVEMENT		+				+																		
STRENGTH		+3				+3																		
COLOR																								
PULSES																								
CAP REFILL																								
MOVEMENT																								
STRENGTH																								
COLOR																								
PULSES																								
CAP REFILL																								
MOVEMENT																								
STRENGTH																								
COLOR																								
PULSES																								
CAP REFILL																								
MOVEMENT																								
STRENGTH																								

RESPONSE	1	2	3	4	5	6
EYES OPEN	Never	To Pain	To Sound	Spontaneously		
VERBAL	None	Incomprehensible	Inappropriate	Confused Conversational	Oriented	
MOTOR	None	Extension	Flexion-Abnormal	Flexion-Withdrawal	Localizes Pain	Obeys Commands

LEGEND

Movement: + = Present
 Strength: 0 - +5/5
 P = Pronator Drift
 FW = Flexion/Withdrawal
 E = Extension
 FL = Flaccid
 FA = Flexion Abnormal

Reflexes:
 - = Absent
 + = Present
 Pupil Reaction:
 S = Sluggish
 + = Reactive
 - = Nonreactive

PUPIL SIZE SCALE (mm)

SIZE

121 25 121 24

MEDICAL RECORD				VITAL SIGNS RECORD											
HOSPITAL DAY															
POST-	DAY			1 MAY			2 MAY			03 MAY			04 MAY		
MONTH-YEAR	DAY														
19	HOUR														
PULSE (O)	TEMP. F (O)													TEMP. C	
105°	105°													40.6°	
180	104°													40.0°	
170	103°													39.4°	
160	102°													38.9°	
150	101°													38.3°	
140	100°													37.8°	
130	99°													37.2°	
120	98.6°													37.0°	
110	98°													36.7°	
100	97°													36.1°	
90	96°													35.6°	
80	95°													35.0°	
70															
60															
50															
40															
RESPIRATION RECORD															
BLOOD PRESSURE															
HEIGHT: WEIGHT:															
OW POT															

Record special data only when so ordered

PATIENT'S IDENTIFICATION (For typed or written entries give: Name--last, first, middle initial; rank; rate; hospital or medical facility)				REGISTER NO.				WARD NO.			
(b)(6)-4											

511-

VITAL SIGNS RECORD
STANDARD FORM 511 (REV. 9-79)
Prescribed by GSA and Interagency
Printed on Medical Records
R (41 CFR) 101-11.806-8

MEDCOM - 5524

INSULIN PROTOCOL

SLIDING SCALE SUBCUTANEOUS

ISTAT EG8 Q6hrs

<u>Glucose</u>	<u>Action</u>
0-75	give 1 amp D50 and call MD
76-150	no action
151-250	2 units regular insulin SQ
251-350	4 units regular insulin SQ
351-450	6 units regular insulin SQ
>450	give 8 units regular insulin SQ and call MD

INSULIN DRIP

Start Insulin gtt at 1 unit/hr
ISTAT **EG8** Q1hr

<u>Glucose</u>	<u>Action</u>
0-75	Hold insulin drip and restart in 1 hour at 1 unit/hr less
76-150	No action
151-250	increase rate by 1 unit/hr
251-400	increase rate by 2 unit/hr
>400	increase rate by 3 units/hr and notify MD

Insulin gtt range 0 to 6 units/hr, if need to exceed this range, notify MD

MEDCOM - 5525

RESPIRATORY THERAPY TREATMENT SHEET

DATE: 4/19/03 TIME: 0935 TREATMENT: 24 Hhant / 25 mg Albuterol / 2cc 2% Lidocaine

PRE TREATMENT: HR-125 RR-76, SaO2-91% POST TREATMENT: HR-135/RR-75, SaO2-99%

LUNG SOUNDS:

PRE- Coarse 7/10 & Dimin Bases

POST- Noted ↑↑↑ Resonance / Bilat Dimin Bases

COUGH/SPUTUM: Clear sputum / Moderate

THERAPIST SIGNATURE:

(b)(6)-2

DATE: 4/19/03 TIME: 1208 TREATMENT: S.A.A.

PRE TREATMENT: HR-125, RR-26, SaO2-95% POST TREATMENT: HR-129, RR-30, SaO2-96%

LUNG SOUNDS:

PRE- Dimin Bilat Bases

POST- Slight ↑↑↑ Resonance RLL Anterior, Dimin LLL

COUGH/SPUTUM: Moderate COMMENTS: Pt. Swallowing productive cough. No sputum secretions. Pt. Reduced T4T.

THERAPIST SIGNATURE:

(b)(6)-2

DATE: 4/19/03 TIME: 1455 TREATMENT: CPT LLL

PRE TREATMENT: HR-140 RR-36, SaO2-97% POST TREATMENT: HR-140 RR-34, SaO2-97%

LUNG SOUNDS:

PRE- Dimin Bilat Bases

POST- C A

COUGH/SPUTUM: Moderate / C COMMENTS: Pt. Swallows productive sputum.

THERAPIST SIGNATURE:

(b)(6)-2

DATE: 4/19/03 TIME: 1555 TREATMENT:

PRE TREATMENT: HR-129, RR-28, SaO2-97% POST TREATMENT: HR-132 RR-30, SaO2-99%

LUNG SOUNDS:

PRE- Dimin Bilat Bases

POST- C A

COUGH/SPUTUM: Moderate cough / C COMMENTS: Pt Swallows sputum.

THERAPIST SIGNATURE:

(b)(6)-2

ADDRESSOGRAPH:

(b)(6)-4

ORDERING PHY

DIAGNOSIS:

MEDCOM - 5526

(b)(3)-1

CP/RT Ventilator Check Off Sheet

Date	4/18	4/18	4/18	4/18	4/19	4/19	4/19	4/19				
Time	1840	1935	2135	2320	0147	0345	0550	0706				
Vent	760	760	760	760	760	760	760	760				
Mode	A/C	A/C	A/C	PSV	PSV	PSV	PSV	PSV				
VT set/actual	750	750	750	—	—	—	—	—				
VT spontaneous	800	755	720	503	741	787	721	786				
Rate set	12	12	12	—	—	—	—	—				
Rate total	18	22	18	17	12	16	14	33				
Peak flow	70	70	70	49	48	63	44	67				
Sensitivity	-2	-2	-2	-2	-2	-2	-2	-2				
Peep	5	5	5	(15)	15	15	15	↓5				
PIP	20	21	28	24	35	33	33	14				
Insp pause RV	12.0	16.72	13.55	11.28	9.29	13.51	10.46	21.66				
Sigh volume %E	11.9	11.2	11.2	—	11.2	—	—	—				
Sigh rate MAP	14	10	11	16	21	24	24	7				
Sigh frequency PS		1	1	(25)	20	↓12	18	↓5				
Sigh PIP												
Fio2	70%	50%	30%	30	30%	30%	30%	3				
Waveform	Pure	Dec	Dec	—	—	—	—	—				
High PIP alarm	50	50	50	50	50	50	50	50				
Low PIP	10	10	10	—	—	—	—	—				
Low volume	300	300	300	(200)	200	200	200	200				
Det. delay	—	—	—	—	—	—	—	—				
Apneic period	28	20	20	20	20	20	20	20				
Low PEEP/CPAP	—	—	—	—	—	—	—	—				
High rate	40	40	40	40	40	40	40	40				
Volume check qS	—	—	—	—	—	—	—	—				
Temp/set	—	—	—	—	—	—	—	—				
Water level	—	—	—	—	—	—	—	—				
HME	OK	OK	OK	OK	OK	OK	OK	OK				
PI/secretion check PL	copious	—	—	—	—	—	—	—				
O2 sats	100	100%	99%	99%	100%	100%	100%	100%				
Cuff Pressure	MET	—	—	—	—	—	—	MET				
Initials	(b)(6)-2											
Name/Signature	Initials		Pt Information/Addressograph									
(b)(6)-2		(b)(6)-4										

MEDCOM - 5527

Date	Time	
4/18	1845	PT Reinserted Placed on H/e 12x750 per 5.0 For (b)(6)-2 70% PT b/s a SKN Coarse bilat / c ↓ m (L) Side, PT was SKN, Corneal ant yellow when removed, b/s 7 SKN ↑ bilat c. (b)(6)-2 Thyroid lumen was place by Mr. (b)(6)-2 Stayed at 100 T/s procedure wear Fine on Tolerated (b)(6)-2
4/19	0554	pt remains on FB 760 Vent. See plot-sheet for settings and changes. #8.5 OETT remains secured properly @ 25cm @ tol. B/s equal bilat. Vent/airways appear to be functioning properly @ this time (b)(6)-2
	0548	pt. extubated @ this time per Dr. (b)(6)-2 PT sectioned prior to extubation via OETT and Hypopharynx small moderate amount of thick & thin secretions Dark Brown clear in color, placed pt on AFM 402a (titrate 50% 793B) 1st/2nd O ₂ (L) (R) W/11, W/10, d. Dyspnea, no traction or nasal Flaring, symmetrical breathing NOTE: Lungs, Bilateral Bases Ant/lat, CP4 performed to Bilat bases. Small amount of thin thick clear and slightly frothy sputum sectioned (b)(6)-2

MEDCOM - 5528