


Camp Bucca Detention Facility



An Analysis Of The Escape of On 26 January 2004 from Compound 9

Conducted by: CPT / 310th MP BN S-3



1

ANNEY 18



Timeline



0600 OIC moves static guard and tower to front 0620 Last static guards moves to front Compound 9 conducts counts by ISN (approximate detainee chow arrival) 0700 0730 Chow arrives at compound 9 approximately 0830 CCT 9 discovers ISNs are missing SOG: fog starts to lift; move bacl, to towers (compound 9) 0930 1000 SOG calls off Fog Plan 1013 Fog Plan lifted; advised compound NCOIC and SOG 1030 (463 - coming up short) 458 (2 in hospital) SOG meets with Advised by compound 9 that prisoners reported as hospitalized 1140

1145 Rover team sent to check for tracks
 1151 Advised by compound 9 SOG of foot tracks from back and over berm
 1200 Notified 977th to activate QRF to conduct search

1240 Advised by MSG (OPS –SGM) that detainees 115236, 116272, 151933, need manifest to include pictures


1410 Contact British forces and local Iraqi Police in UMM Qasar




Summary of Key Events




- Visibility was 10 to 15 meters from 0300 to 0900
- 988th MP CO used entire company to surround the compound. Rule of thumb was each guard was placed within viewing distance of each other.
- Conditions and use of guards coming off a 12 hour shift hampered observation ability.
- MP/Guards were not completely surrounding the holding pen after count was complete as instructed in the FOG Plan. MPs were placed on the North, East, and West. No guard was placed on the south side of the holding pen.
- Holding area dimensions are approximately 20 x 50 meters.
- . The SOG moved the exterior static guards on the south side of compound 9 at 0620.
- Compound control team NCO did not immediately inform the SOG that his count may be off. He recounted to check his original count.
- The window of opportunity for the detainee to escape is established between 0620 and 0830, is was during this time that the exterior static guards on the south side of compound 9 move to the front of the compound and when the compound control team NCO discovered the count was off during detainee feeding.
- SOG discovers that detainees low crawled under the wire from the holding area to the rear of the compound and through the rear layer of wire.





3





Corrective Action



In-Process

- · Chain link fence
- 20-foot ditch around entire compound
- K-9 dog teams
- Additional trip flares
- Additional radios

Not Confirmed

- Thermal equipment
- · Contracted engineer assets to add additional wire

4



Corrective Action



SOP Improvements

- Fog Plan rehearsal of plan
- Count procedures
- Ensure that 360 degree security is maintained on compound at ALL times to include holding area during FOG plan
- Use of QM, BN, and Signal personnel for additional bodies once all MPs are exhausted